



MATERIAL SAFETY DATA SHEET

PRODUCT NAME: ENCAPUCLEAN DS

WITH MAXIM CC12

SECTION 1: PRODUCT INFORMATION

PRODUCT NAME: Encapuclean DS with Maxim

MANUFACTURER:

Bridgepoint Systems
4282 S 590 W
Salt Lake City, UT 84123
Telephone: 801-261-1282
Prepared 3/7/2012

EMERGENCIES: (800) 535-5053 (Infotrac)

Hazard Rating (Zero=Insignificant 1= Slight 2= Moderate 3= High 4= Extreme)

Fire: 0 Health:1 Reactivity:0

SECTION 2 COMPOSITION/INFORMATION ON COMPONENTS

COMPONENTS

CAS NUMBER

%

TLV

There are no components contained in this material that are considered hazardous under 29CFR1910.1200.

SECTION 3 HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

Physical Properties: clear solution with mild odor

IMMEDIATE HEALTH EFFECTS

Eyes: Overexposure may cause irritation to eyes.

Skin: Prolonged and repeated contact may cause irritation to skin.

Inhalation: Inhalation may cause irritation of upper respiratory passages.

Ingestion: Single dose oral toxicity is low. Swallowing large amounts may be harmful.

PRIMARY ROUTES OF ENTRY: Eyes, skin contact/absorption, inhalation or ingestion.

SIGNS/SYMPTOMS OF OVEREXPOSURE: Gastrointestinal irritation (nausea, vomiting, diarrhea), and/or irritation to the skin, eyes, nose, throat, and respiratory tract.

TARGET ORGAN EFFECTS: Irritation of the skin and eyes. Irritation of lungs possible if mists/aerosols are inhaled.

REPRODUCTIVE/DEVELOPMENTAL INFORMATION: No data available.

CARCINOGENIC INFORMATION: None of the ingredients of this material are listed as carcinogens by IARC, NTP, or OSHA.

LONG TERM EFFECTS: No data available.

MATERIAL SAFETY DATA SHEET
PRODUCT NAME: ENCAPUCLEAN DS WITH MAXIM CC12

Page 2 of 4

SECTION 4 FIRST AID MEASURES

EYES: Flush eyes with water for at least 15 minutes. If irritation persists, consult a physician.

SKIN: If irritation occurs, flush skin with water for at least 15 minutes. If irritation persists, consult a physician

INHALATION: If symptoms of overexposure develop, remove to fresh air. If symptoms persist, consult a physician.

INGESTION: Give 8 to 16 ounces of water to dilute substance. Do not induce vomiting. Consult a physician or local Poison Control Center. Never give anything by mouth to an unconscious person.

SECTION 5 FIRE FIGHTING MEASURES

FLASHPOINT (° Fahrenheit): No flash below boil.

EXPLOSIVE LIMITS: No data available.

AUTOIGNITION TEMPERATURE: No data available.

HAZARDOUS PRODUCTS OF COMBUSTION: In the event of fire, the following may be released: Carbon dioxide and/or carbon monoxide, oxides of nitrogen and sulfur.

EXTINGUISHING MEDIA: Water spray, foam, dry chemical powder of carbon dioxide.

FIRE FIGHTING INSTRUCTIONS: Firefighters should wear proper protective equipment and self-contained breathing apparatus with full facepiece operated in positive pressure mode. Move containers from fire area if it can be done without risk. Use water to keep fire-exposed containers cool.

NFPA/HMIS RATINGS: Health: 1, Flammability: 0, Reactivity: 0

SECTION 6 ACCIDENTAL RELEASE MEASURES

SMALL SPILL: Vacuum liquid with extraction machine.

LARGE SPILL: Stop spill at source, contain area of spill to prevent spreading. Vacuum liquid with extraction machine or liquid may be absorbed with inert material such as dry sand, vermiculite, and shoveled into containers. Dispose of through sewage system or to landfill if absorbed into inert material.

SECTION 7 HANDLING AND STORAGE

HANDLING: Handle and open containers with care.

STORAGE: Store in a cool, well ventilated place away from incompatible materials.

SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

Respiratory Protection...	None normally needed.
Protective Clothing.....	None normally needed.
Eye Protection.....	None normally needed.
Ventilation.....	Normal room ventilation should suffice
Storage.....	Store above 55°F. Store out of reach of Children. Keep container tightly closed

MATERIAL SAFETY DATA SHEET
PRODUCT NAME: ENCAPUCLEAN DS WITH MAXIM CC12

Page 3 of 4

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE AND ODOR: Clear, light amber solution/ melón apple fragrance

pH: 7.5

VAPOR PRESSURE: No data available.

VAPOR DENSITY: No data available.

BOILING POINT: 212° F

SOLUBILITY IN WATER: Soluble

EVAPORATION RATE: (water = 1) approximately 1

DENSITY: 1.051

SECTION 10 STABILITY AND REACTIVITY

CHEMICAL STABILITY: Stable.

CONDITIONS TO AVOID: None with proper storing and handling.

MATERIALS TO AVOID: Strong oxidizing materials.

HAZARDOUS DECOMPOSITION: Upon combustion, the following may be produced: Carbon dioxide and/or carbon monoxide, oxides of nitrogen and sulfur.

HAZARDOUS POLYMERIZATION: Will not occur.

SECTION 11 TOXICOLOGICAL INFORMATION

ROUTES OF EXPOSURE: Skin absorption, eye contact, inhalation, and ingestion.

CARCINOGENITY: None of the components of this material are listed as carcinogens by IARC, NTP, or OSHA.

TERATOGENICITY, MUTAGENICITY, OR OTHER REPRODUCTIVE EFFECTS: No data available.

CONDITIONS AGGRAVATED BY EXPOSURE: No data available.

SYNERGISTIC MATERIALS: No data available.

SECTION 12 ECOLOGICAL INFORMATION

No data available.

SECTION 13 DISPOSAL CONSIDERATIONS

Do not dispose of on the land, in surface waters, or in storm drains. Small spills and waste may be flushed into a waste treatment sewer where local regulations permit. **All disposal must be in accordance with all federal, state and local regulations.**

RCRA INFORMATION: If this material becomes a waste, it would not be considered hazardous under 40CFR261.

MATERIAL SAFETY DATA SHEET
PRODUCT NAME: ENCAPUCLEAN DS WITH MAXIM CC12

Page 4 of 4

SECTION 14 TRANSPORT INFORMATION

No restrictions for Ground, Air, or Maritime Transportation in accordance with 49 CFR parts 100-185.

SECTION 15 REGULATORY INFORMATION

US FEDERAL REGULATIONS

TSCA Status: The intentional components of this product are listed.

CERCLA Reportable Quantities – 40CFR355 APPENDIX A: None.

SARA 313 – 40CFR372.65: None.

STATE AND LOCAL REGULATIONS

CALIFORNIA PROPOSITION 65:

None

MASSACHUSETTS:

None

NEW JERSEY:

None

PENNSYLVANIA:

None

SECTION 16: OTHER INFORMATION

This product has no established regulatory information. All regulatory information given is based on individual components of the mixture by component number. While this information and recommendations set forth herein are believed to be accurate and reliable, it is provided without warranty regarding its accuracy. BRIDGEPOINT SYSTEMS MAKES NO WARRANTY WITH RESPECT HERETO AND DISCLAIMS ALL LIABILITY FROM RELIANCE THEREON. Users must determine safe conditions for use and assume liability for any loss, injury, damage or expense resulting from use of this product.

N/A= Not applicable N/D= Not determined N/E= Not established