

# ICP Building Solutions Group (CAN)

Version No: 4.7

Safety Data Sheet according to WHMIS 2015 requirements

Issue Date: 01/22/2020 Print Date: 01/31/2020 S.GHS.CAN.EN

# **SECTION 1 IDENTIFICATION**

Product Identifier	
Product name	Fiberlock Advanced Peroxide Cleaner 8314
Synonyms	Not Available
Other means of identification	Not Available
B	· · · · · · · · ·

# Recommended use of the chemical and restrictions on use

Relevant identified uses Mold and mildew stain remover

## Name, address, and telephone number of the chemical manufacturer, importer, or other responsible party

Registered company name	ICP Building Solutions Group (CAN)	
Address	55 Bay St. North Hamilton, Ontario L8L 1H1 Canada	
Telephone	78-623-9980	
Fax	Not Available	
Website	www.icpgroup.com	
Email	Not Available	

## Emergency phone number

Association / Organisation	Chemtel
Emergency telephone numbers	1-800-255-3924
Other emergency telephone numbers	1-813-248-0585

# SECTION 2 HAZARD(S) IDENTIFICATION

# Classification of the substance or mixture

NFPA 704 diamond



Not Applicable

Note: The hazard category numbers found in GHS classification in section 2 of this SDSs are NOT to be used to fill in the NFPA 704 diamond. Blue = Health Red = Fire Yellow = Reactivity White = Special (Oxidizer or water reactive substances)

	s aubstallices)
Classification	Eye Irritation Category 2A, Specific target organ toxicity - single exposure Category 3 (respiratory tract irritation)
Label elements	
Hazard pictogram(s)	
SIGNAL WORD	WARNING
Hazard statement(s)	
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
Physical and Health hazard(s)	not otherwise classified

## Precautionary statement(s) General

P101	f medical advice is needed, have product container or label at hand.	
P102	Keep out of reach of children.	

# Precautionary statement(s) Prevention

P271	Use only outdoors or in a well-ventilated area.	
P261	Avoid breathing mist/vapours/spray.	

## Precautionary statement(s) Response

P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.	
P312	Call a POISON CENTER/doctor/physician/first aider/if you feel unwell.	

#### Precautionary statement(s) Storage

P405	Store locked up.	
P403+P233	Store in a well-ventilated place. Keep container tightly closed.	

## Precautionary statement(s) Disposal

Dispose of contents/container to authorised hazardous or special waste collection point in accordance with any local regulation.

# SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS

P501

## Substances

See section below for composition of Mixtures

# Mixtures

CAS No	%[weight]	Name	
7722-84-1	5-7.9	hydrogen peroxide	
5324-84-5	0-5	1-octanesulfonic acid sodium salt	
68439-46-3	0-5	alcohols C9-11 ethoxylated	
29329-71-3	0-2	sodium 1-hydroxyethylidene diphosphonate	

The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

## **SECTION 4 FIRST-AID MEASURES**

## Description of first aid measures

Eye Contact	<ul> <li>If this product comes in contact with the eyes:</li> <li>Wash out immediately with fresh running water.</li> <li>Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by occasionally lifting the upper and lower lids.</li> <li>Seek medical attention without delay; if pain persists or recurs seek medical attention.</li> <li>Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.</li> </ul>
Skin Contact	If skin contact occurs: <ul> <li>Immediately remove all contaminated clothing, including footwear.</li> <li>Flush skin and hair with running water (and soap if available).</li> <li>Seek medical attention in event of irritation.</li> </ul>
Inhalation	<ul> <li>If fumes or combustion products are inhaled remove from contaminated area.</li> <li>Lay patient down. Keep warm and rested.</li> <li>Prostheses such as false teeth, which may block airway, should be removed, where possible, prior to initiating first aid procedures.</li> <li>Apply artificial respiration if not breathing, preferably with a demand valve resuscitator, bag-valve mask device, or pocket mask as trained. Perform CPR if necessary.</li> <li>Transport to hospital, or doctor, without delay.</li> </ul>
Ingestion	<ul> <li>If swallowed do NOT induce vomiting.</li> <li>If vomiting occurs, lean patient forward or place on left side (head-down position, if possible) to maintain open airway and prevent aspiration.</li> <li>Observe the patient carefully.</li> <li>Never give liquid to a person showing signs of being sleepy or with reduced awareness; i.e. becoming unconscious.</li> <li>Give water to rinse out mouth, then provide liquid slowly and as much as casuality can comfortably drink.</li> <li>Seek medical advice.</li> </ul>

#### Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

Hydrogen peroxide at moderate concentrations (5% or more) is a strong oxidant.

- Direct contact with the eye is likely to cause corneal damage especially if not washed immediately. Careful ophthalmologic evaluation is recommended and the possibility of local corticosteroid therapy should be considered.
- Because of the likelihood of systemic effects attempts at evacuating the stomach via emesis induction or gastric lavage should be avoided.
   There is remote possibility, however, that a nasogastric or orogastric tube may be required for the reduction of severe distension due to gas formation"

# SECTION 5 FIRE-FIGHTING MEASURES

# Extinguishing media

The product contains a substantial proportion of water, therefore there are no restrictions on the type of extinguishing media which may be used. Choice of extinguishing media should take into account surrounding areas.

# Special hazards arising from the substrate or mixture

Fire Incompatibility	None known.
----------------------	-------------

## Special protective equipment and precautions for fire-fighters

Fire Fighting	<ul> <li>Alert Fire Brigade and tell them location and nature of hazard.</li> <li>Wear breathing apparatus plus protective gloves in the event of a fire.</li> </ul>			
Fire/Explosion Hazard	<ul> <li>The material is not readily combustible under normal conditions.</li> <li>However, it will break down under fire conditions and the organic component may burn.</li> <li>Decomposes on heating and produces toxic fumes of: carbon dioxide (CO2) other pyrolysis products typical of burning organic material.</li> <li>May emit poisonous fumes.</li> <li>May emit corrosive fumes.</li> </ul>			

## SECTION 6 ACCIDENTAL RELEASE MEASURES

# Personal precautions, protective equipment and emergency procedures

See section 8

## **Environmental precautions**

See section 12

# Methods and material for containment and cleaning up

Minor Spills	<ul> <li>Clean up all spills immediately.</li> <li>Avoid breathing vapours and contact with skin and eyes.</li> </ul>
Major Spills	<ul> <li>Moderate hazard.</li> <li>Clear area of personnel and move upwind.</li> <li>For hydrogen peroxide:</li> <li>Dilute with large quantities of water (at least ten (10) times the volume of hydrogen peroxide).</li> <li>Sodium bicarbonate may be used to accelerate breakdown.</li> </ul>

Personal Protective Equipment advice is contained in Section 8 of the SDS.

# SECTION 7 HANDLING AND STORAGE

# Precautions for safe handling

Safe handling	<ul> <li>Avoid all personal contact, including inhalation.</li> <li>Wear protective clothing when risk of exposure occurs.</li> <li>DO NOT allow clothing wet with material to stay in contact with skin</li> </ul>
Other information	

# Conditions for safe storage, including any incompatibilities

Suitable container	<ul> <li>Polyethylene or polypropylene container.</li> <li>Packing as recommended by manufacturer.</li> <li>Hydrogen peroxide containing/ generating materials requiring rigid packaging.</li> <li>Store in:</li> <li>Containers with vented lids.</li> </ul>
Storage incompatibility	<ul> <li>Hydrogen peroxide</li> <li>is a powerful oxidiser</li> <li>contamination or heat may cause self accelerating exothermic decomposition with oxygen gas and steam release - this may generate dangerous pressures - steam explosion.</li> <li>reacts dangerously with rust, dust, dirt, iron, copper, acids, metals and salts, organic material.</li> <li>None known</li> </ul>

# SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

#### **Control parameters**

# INGREDIENT DATA

0				

Canada - Yukon Permissible Concentrations for Airborne Contaminant Substances	hydrogen peroxide	Hydrogen peroxide	1 ppm / 1.5 mg/m3	2.8 mg/m3 / 2 ppm	Not Available	Not Available
Canada - Nova Scotia Occupational Exposure Limits	hydrogen peroxide	Hydrogen peroxide	1 ppm	Not Available	Not Available	TLV Basis: eye, upper respiratory tract & skin irritation
Canada - Alberta Occupational Exposure Limits	hydrogen peroxide	Hydrogen peroxide	1 ppm / 1.4 mg/m3	Not Available	Not Available	Not Available
Canada - Saskatchewan Occupational Health and Safety Regulations - Contamination Limits	hydrogen peroxide	Hydrogen peroxide	1 ppm	2 ppm	Not Available	Not Available
Canada - Manitoba Occupational Exposure Limits	hydrogen peroxide	Not Available	1 ppm	Not Available	Not Available	TLV® Basis: Eye, URT, & skin irr
Canada - Quebec Permissible Exposure Values for Airborne Contaminants (English)	hydrogen peroxide	Hydrogen peroxide	1 ppm / 1.4 mg/m3	Not Available	Not Available	Not Available
Canada - Northwest Territories Occupational Exposure Limits (English)	hydrogen peroxide	Hydrogen peroxide	1 ppm	2 ppm	Not Available	Not Available
Canada - British Columbia Occupational Exposure Limits	hydrogen peroxide	Hydrogen peroxide	1 ppm	Not Available	Not Available	Not Available
Canada - Prince Edward Island Occupational Exposure Limits	hydrogen peroxide	Hydrogen peroxide	1 ppm	Not Available	Not Available	TLV® Basis: Eye, URT, & skin irr

# EMERGENCY LIMITS

Ingredient	Material name	TEEL-1	TEEL-2	TEEL-3	
hydrogen peroxide	Hydrogen peroxide	Hydrogen peroxide Not Available		Not Available	
Ingredient	Original IDLH		Revised IDLH		
hydrogen peroxide	75 ppm		Not Available		
1-octanesulfonic acid sodium salt	Not Available		Not Available		
alcohols C9-11 ethoxylated	Not Available		Not Available		
sodium 1-hydroxyethylidene diphosphonate	Not Available		Not Available		

# OCCUPATIONAL EXPOSURE BANDING

Ingredient	Occupational Exposure Band Rating Occupational Exposure Band Limit			
1-octanesulfonic acid sodium salt	E	≤ 0.01 mg/m³		
alcohols C9-11 ethoxylated	E ≤ 0.1 ppm			
Notes:	Occupational exposure banding is a process of assigning chemicals into specific categories or bands based on a chemical's potency and the adverse health outcomes associated with exposure. The output of this process is an occupational exposure band (OEB), which corresponds to a range of exposure concentrations that are expected to protect worker health.			

Exposure controls

Appropriate engineering controls	Engineering controls are used to remove a hazard or place a barrier between the worker and the hazard. Well-designed engineering controls can be highly effective in protecting workers and will typically be independent of worker interactions to provide this high level of protection.
Personal protection	
Eye and face protection	<ul> <li>Safety glasses with side shields.</li> <li>Chemical goggles.</li> </ul>
Skin protection	See Hand protection below
Hands/feet protection	<ul> <li>Wear chemical protective gloves, e.g. PVC.</li> <li>Wear safety footwear or safety gumboots, e.g. Rubber</li> <li>The selection of suitable gloves does not only depend on the material, but also on further marks of quality which vary from manufacturer to manufacturer. Where the chemical is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.</li> <li>Where hydrogen peroxide exposure may occur do NOT wear PVA gloves.</li> <li>DO NOT use leather or cotton gloves, leather shoes as spill may cause fire.</li> </ul>
Body protection	See Other protection below
Other protection	<ul> <li>Overalls.</li> <li>P.V.C.</li> </ul>

# **Respiratory protection**

Tune & Filler of sufficient sensetity (AC/NZC 1710 & 1715 EN 140,0000 & 140,0001 ANOI 700 superiors) sensitively

- The wearer must be warned to leave the contaminated area immediately on detecting any odours through the respirator. The odour may indicate that the mask is not functioning properly, that the vapour concentration is too high, or that the mask is not properly fitted. Because of these limitations, only restricted use of cartridge respirators is considered appropriate.
- Cartridge performance is affected by humidity. Cartridges should be changed after 2 hr of continuous use unless it is determined that the humidity is less than 75%, in which case, cartridges can be used for 4 hr. Used cartridges should be discarded daily, regardless of the length of time used

# SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

# Information on basic physical and chemical properties

Appearance	Text		
Physical state	Liquid	Relative density (Water = 1)	Not Available
Odour	Not Available	Partition coefficient n-octanol / water	Not Available
Odour threshold	Not Available	Auto-ignition temperature (°C)	Not Available
pH (as supplied)	7.5-8.5	Decomposition temperature	Not Available
Melting point / freezing point (°C)	Not Available	Viscosity (cSt)	Not Available
Initial boiling point and boiling range (°C)	Not Available	Molecular weight (g/mol)	Not Available
Flash point (°C)	Not Available	Taste	Not Available
Evaporation rate	Not Available	Explosive properties	Not Available
Flammability	Not Available	Oxidising properties	Not Available
Upper Explosive Limit (%)	Not Available	Surface Tension (dyn/cm or mN/m)	Not Available
Lower Explosive Limit (%)	Not Available	Volatile Component (%vol)	Not Available
Vapour pressure (kPa)	Not Available	Gas group	Not Available
Solubility in water	Immiscible	pH as a solution (1%)	Not Available
Vapour density (Air = 1)	Not Available	VOC g/L	Not Available

# SECTION 10 STABILITY AND REACTIVITY

Reactivity	See section 7
Chemical stability	<ul> <li>Unstable in the presence of incompatible materials.</li> <li>Product is considered stable.</li> <li>Solutions of hydrogen peroxide slowly decompose, releasing oxygen, and so are often stabilised by the addition of acetanilide, etc.</li> </ul>
Possibility of hazardous reactions	See section 7
Conditions to avoid	See section 7
Incompatible materials	See section 7
Hazardous decomposition products	See section 5

# SECTION 11 TOXICOLOGICAL INFORMATION

## Information on toxicological effects

Inhaled	The material can cause respiratory irritation in some persons. The body's response to such irritation can cause further lung damage. Not normally a hazard due to non-volatile nature of product
Ingestion	Accidental ingestion of the material may be damaging to the health of the individual. Hydrogen peroxide may cause blistering and bleeding from the throat and stomach. When swallowed, it may release large quantities of oxygen which could hyper-distend the stomach and gut and may cause internal bleeding, mouth and throat burns and rupture of the gut.
Skin Contact	This material can cause inflammation of the skin on contact in some persons. The material may accentuate any pre-existing dermatitis condition Skin contact is not thought to have harmful health effects (as classified under EC Directives); the material may still produce health damage following entry through wounds, lesions or abrasions. Open cuts, abraded or irritated skin should not be exposed to this material Entry into the blood-stream, through, for example, cuts, abrasions or lesions, may produce systemic injury with harmful effects. Examine the skin prior to the use of the material and ensure that any external damage is suitably protected. Hydrogen peroxide is used topically as dental gel and to clean minor wounds. It may cause dose dependent effect on the skin including bleaching, blistering, reddening and corrosion ( at >50% concentration).
Eye	This material can cause eye irritation and damage in some persons. Hydrogen peroxide concentrations above 10% are corrosive to the eye and may cause corneal ulceration even days after exposure.
	Repeated or long-term occupational exposure is likely to produce cumulative health effects involving organs or biochemical systems.

#### There has been some concern that this material can cause cancer or mutations but there is not enough data to make an assessment. Hydrogen peroxide as a human food additive is generally regarded as safe, when used with certain limitations. In experimental animals hydrogen peroxide given by mouth causes damage to the teeth, liver, kidney, stomach and bowel. TOXICITY IRRITATION Fiberlock Advanced Peroxide Cleaner 8314 Not Available Not Available TOXICITY IRRITATION dermal (rat) LD50: >2000 mg/kg<sup>[2]</sup> Not Available hydrogen peroxide Inhalation (rat) LC50: 2 mg/l/4H<sup>[2]</sup> Oral (rat) LD50: >225 mg/kg[2] TOXICITY IRRITATION 1-octanesulfonic acid sodium Not Available Eye: adverse effect observed (irreversible damage)<sup>[1]</sup> Skin: adverse effect observed (corrosive)<sup>[1]</sup> ΤΟΧΙΟΙΤΥ IBRITATION Eye (human): SEVERE Dermal (rabbit) LD50: >2000 mg/kg<sup>[2]</sup> Oral (rat) LD50: 1378 mg/kg<sup>[2]</sup> Eye: adverse effect observed (irritating)<sup>[1]</sup> alcohols C9-11 ethoxylated Skin: no adverse effect observed (not irritating)<sup>[1]</sup> Skin: SEVERE TOXICITY IRRITATION sodium 1-hydroxyethylidene diphosphonate Oral (rat) LD50: ~3400 mg/kg[1] Not Available 1. Value obtained from Europe ECHA Registered Substances - Acute toxicity 2.\* Value obtained from manufacturer's SDS. Unless otherwise Legend: specified data extracted from RTECS - Register of Toxic Effect of chemical Substances Exposure to hydrogen peroxide via the skin or oral route can produce toxic effects. Animal studies have shown evidence of damage to the kidney, gut, thymus and liver. HYDROGEN PEROXIDE The substance is classified by IARC as Group 3: NOT classifiable as to its carcinogenicity to humans. Evidence of carcinogenicity may be inadequate or limited in animal testing. **1-OCTANESULFONIC ACID** Secondary alkyl sulfonate anionic surfactants (SAS) are readily absorbed after oral administration. They can cause skin irritation and are at risk SODIUM SALT of causing serious damage to eyes. Somnolence, ataxia, diarrhoea recorded. Polyethers (such as ethoxylated surfactants and polyethylene glycols) are highly susceptible to being oxidized in the air. They then form complex mixtures of oxidation products. Animal testing reveals that whole the pure, non-oxidised surfactant is non-sensitizing, many of the oxidation products are sensitisers Humans have regular contact with alcohol ethoxylates through a variety of industrial and consumer products such as soaps, detergents and other cleaning products. Exposure to these chemicals can occur through swallowing, inhalation, or contact with the skin or eyes. ALCOHOLS C9-11 Both laboratory and animal testing has shown that there is no evidence for alcohol ethoxylates (AEs) causing genetic damage, mutations or **ETHOXYLATED** cancer. No adverse reproductive or developmental effects were observed. Tri-ethylene glycol ethers undergo enzymatic oxidation to toxic alkoxy acids. They may irritate the skin and the eyes. The material may produce severe irritation to the eye causing pronounced inflammation. Repeated or prolonged exposure to irritants may produce conjunctivitis The material may cause severe skin irritation after prolonged or repeated exposure and may produce on contact skin redness, swelling, the production of vesicles, scaling and thickening of the skin. Repeated exposures may produce severe ulceration. SODIUM Animal testing to date have not shown phosphonic acids or their salts to induce skin sensitisation. However, testing has been incomplete. 1-HYDROXYETHYLIDENE < \* acid form [Monsanto] DIPHOSPHONATE Fiberlock Advanced Peroxide Cleaner 8314 & HYDROGEN Asthma-like symptoms may continue for months or even years after exposure to the material ends. This may be due to a non-allergic condition PEROXIDE & known as reactive airways dysfunction syndrome (RADS) which can occur after exposure to high levels of highly irritating compound. 1-OCTANESULFONIC ACID SODIUM SALT For alkyl sulfates: alkane sulfonates and alpha-olefin sulfonates Fiberlock Advanced Peroxide Most chemicals of this category are not defined substances, but mixtures of homologues with different alkyl side chains. Common physical and/or Cleaner 8314 & biological pathways result in structurally similar breakdown products, and are, together with the surfactant properties, responsible for similar 1-OCTANESULFONIC ACID environmental behavior and essentially identical hazard profiles with regard to human health SODIUM SALT Acute toxicity: These substances are well absorbed after ingestion; penetration through the skin is however, poor. **HYDROGEN PEROXIDE & 1-OCTANESULFONIC ACID** No significant acute toxicological data identified in literature search. SODIUM SALT Acute Toxicity × × Carcinogenicity Skin Irritation/Corrosion × Reproductivity Serious Eve Damage/Irritation V STOT - Single Exposure Ś Respiratory or Skin × STOT - Repeated Exposure × sensitisation

**Lege**na:

- Data eitner not available or does not illi the criteria for classification

Data available to make classification

# SECTION 12 ECOLOGICAL INFORMATION

x

## Toxicity

Siberlaak Advanced Derovide	ENDPOINT	TEST DURATION (HR)	SPECIES	VALUE	SOURCE
Fiberlock Advanced Peroxide Cleaner 8314	Not Available	Not Available	Not Available	Not Available	Not Available
	ENDPOINT	TEST DURATION (HR)	SPECIES	VALUE	SOURCE
	LC50	96	Fish	0.020mg/L	3
h	EC50	48	Crustacea	2mg/L	2
hydrogen peroxide	EC50	72	Algae or other aquatic plants	0.71mg/L	4
	EC0	24	Crustacea	1.1mg/L	2
	NOEC	192	Fish	0.028mg/L	4
	ENDPOINT	TEST DURATION (HR)	SPECIES	VALUE	SOURCI
	LC50	96	Fish	>100mg/L	2
l-octanesulfonic acid sodium salt	EC50	48	Crustacea	421mg/L	2
San	EC50	72	Algae or other aquatic plants	>100mg/L	2
	NOEC	72	Algae or other aquatic plants	100mg/L	2
	ENDPOINT	TEST DURATION (HR)	SPECIES	VALUE	SOURCI
	LC50	96	Fish	8.5mg/L	4
	EC50	48	Crustacea	2.5mg/L	2
alcohols C9-11 ethoxylated	EC50	96	Algae or other aquatic plants	1.4mg/L	2
	EC20	72	Algae or other aquatic plants	0.711mg/L	2
	NOEC	240	Fish	0.16mg/L	2
	ENDPOINT	TEST DURATION (HR)	SPECIES	VALUE	SOURC
sodium 1-hydroxyethylidene	LC50	96	Fish	2-180mg/L	2
diphosphonate	EC50	48	Crustacea	1-770mg/L	2
	NOEC	504	Crustacea	0.1mg/L	2

Extracted from 1. IUCLID Toxicity Data 2. Europe ECHA Registered Substances - Ecotoxicological Information - Aquatic Toxicity 3. EPIWIN Suite V3.12 (QSAR) - Aquatic Toxicity Data (Estimated) 4. US EPA, Ecotox database - Aquatic Toxicity Data 5. ECETOC Aquatic Hazard Assessment Data 6. NITE (Japan) - Bioconcentration Data 7. METI (Japan) - Bioconcentration Data 8. Vendor Data

For hydrogen peroxide:log Kow: -1.36:

Environmental Fate: Hydrogen peroxide is a naturally occurring substance (typical background concentrations < 1 - 30 g/l), which is produced by almost all cells in their metabolism, with the exception of anaerobic bacteria. Hydrogen peroxide is a reactive substance in the presence of other substances, elements, radiation, materials and can be degraded by micro-organisms or higher organisms.

DO NOT discharge into sewer or waterways.

## Persistence and degradability

Ingredient	Persistence: Water/Soil	Persistence: Air
hydrogen peroxide	LOW	LOW
1-octanesulfonic acid sodium salt	нідн	HIGH

#### **Bioaccumulative potential**

Ingredient	Bioaccumulation	
hydrogen peroxide	LOW (LogKOW = -1.571)	
1-octanesulfonic acid sodium salt	LOW (LogKOW = 1.056)	

#### Mobility in soil

Ingredient	Mobility	
hydrogen peroxide	LOW (KOC = 14.3)	
1-octanesulfonic acid sodium salt	LOW (KOC = 38.04)	

# **SECTION 14 TRANSPORT INFORMATION**

## Labels Required

Marine Pollutant

## Land transport (TDG): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

## Air transport (ICAO-IATA / DGR): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

# Sea transport (IMDG-Code / GGVSee): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

## Transport in bulk according to Annex II of MARPOL and the IBC code

HYDROGEN PEROXIDE IS FOUND ON THE FOLLOWING REGULATORY LISTS

NO

Not Applicable

# SECTION 15 REGULATORY INFORMATION

#### Safety, health and environmental regulations / legislation specific for the substance or mixture

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations.

Canada - Alberta Occupational Exposure Limits	Canada Forensic Identification Services Chemical Carcinogenicity Evaluation - Table 1	
Canada - British Columbia Occupational Exposure Limits	- Chemicals Considered for Assessment	
Canada - Manitoba Occupational Exposure Limits	Canada Toxicological Index Service - Workplace Hazardous Materials Information	
Canada - Northwest Territories Occupational Exposure Limits	System - WHMIS GHS (English)	
Canada - Nova Scotia Occupational Exposure Limits	Canada Transport Dangerous Goods - Schedule 1	
Canada - Prince Edward Island Occupational Exposure Limits	Canada Transport Dangerous Goods - Schedule 3	
Canada - Prince Edward Island Occupational Exposure Limits - Carcinogens	GESAMP/EHS Composite List - GESAMP Hazard Profiles	
Canada - Quebec Permissible Exposure Values for Airborne Contaminants	IMO IBC Code Chapter 17: Summary of minimum requirements	
Canada - Saskatchewan Occupational Health and Safety Regulations - Contamination	IMO MARPOL (Annex II) - List of Noxious Liquid Substances Carried in Bulk	
Limits	International Agency for Research on Cancer (IARC) - Agents Classified by the IARC	
Canada - Yukon Permissible Concentrations for Airborne Contaminant Substances	Monographs	
Canada Categorization decisions for all DSL substances	International Air Transport Association (IATA) Dangerous Goods Regulations	
Canada Domestic Substances List (DSL)	International Air Transport Association (IATA) Dangerous Goods Regulations - Prohibited List Passenger and Cargo Aircraft	
	International Maritime Dangerous Goods Requirements (IMDG Code)	
	United Nations Recommendations on the Transport of Dangerous Goods Model Regulations	
1-OCTANESULFONIC ACID SODIUM SALT IS FOUND ON THE FOLLOWING REGULATO	DRY LISTS	
Canada Categorization decisions for all DSL substances	Canada Domestic Substances List (DSL)	
ALCOHOLS C9-11 ETHOXYLATED IS FOUND ON THE FOLLOWING REGULATORY LIS	TS	

# Canada Categorization decisions for all DSL substancesInternational Air Transport Association (IATA) Dangerous Goods RegulationsCanada Domestic Substances List (DSL)International Maritime Dangerous Goods Requirements (IMDG Code)Canada Transport Dangerous Goods - Schedule 1United Nations Recommendations on the Transport of Dangerous Goods ModelCanada Transport Dangerous Goods - Schedule 3Regulations

## SODIUM 1-HYDROXYETHYLIDENE DIPHOSPHONATE IS FOUND ON THE FOLLOWING REGULATORY LISTS

Canada Categorization decisions for all DSL substances	International Air Transport Association (IATA) Dangerous Goods Regulations
Canada Domestic Substances List (DSL)	International Maritime Dangerous Goods Requirements (IMDG Code)
Canada Transport Dangerous Goods - Schedule 1	United Nations Recommendations on the Transport of Dangerous Goods Model
Canada Transport Dangerous Goods - Schedule 3	Regulations

#### **National Inventory Status**

National Inventory	Status
Australia - AICS	Yes
Canada - DSL	Yes
Canada - NDSL	No (hydrogen peroxide; 1-octanesulfonic acid sodium salt; sodium 1-hydroxyethylidene diphosphonate; alcohols C9-11 ethoxylated)
China - IECSC	Yes
Europe - EINEC / ELINCS / NLP	No (alcohols C9-11 ethoxylated)
Japan - ENCS	No (alcohols C9-11 ethoxylated)
Korea - KECI	Yes
New Zealand - NZIoC	Yes

USA - TSCA	Yes
Taiwan - TCSI	Yes
Mexico - INSQ	No (sodium 1-hydroxyethylidene diphosphonate)
Vietnam - NCI	Yes
Russia - ARIPS	No (alcohols C9-11 ethoxylated)
Legend:	Yes = All CAS declared ingredients are on the inventory No = One or more of the CAS listed ingredients are not on the inventory and are not exempt from listing(see specific ingredients in brackets)

# **SECTION 16 OTHER INFORMATION**

Revision Date	01/22/2020
Initial Date	03/20/2017

## CONTACT POINT

\*\*PLEASE NOTE THAT TITANIUM DIOXIDE IS NOT PRESENT IN CLEAR OR NEUTRAL BASES\*\*

# SDS Version Summary

Version	Issue Date	Sections Updated
3.7.1.1.1	01/22/2020	Acute Health (inhaled), Acute Health (skin), Acute Health (swallowed), Chronic Health, Classification, Environmental, First Aid (swallowed), Ingredients, Personal Protection (Respirator), Personal Protection (hands/feet), Spills (major), Spills (minor), Supplier Information, Use

## Other information

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chernwatch Classification committee using available literature references.

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings.

## **Definitions and abbreviations**

PC – TWA: Permissible Concentration-Time Weighted Average PC – STEL: Permissible Concentration-Short Term Exposure Limit IARC: International Agency for Research on Cancer ACGIH: American Conference of Governmental Industrial Hygienists STEL: Short Term Exposure Limit TEEL: Temporary Emergency Exposure Limit₀ IDLH: Immediately Dangerous to Life or Health Concentrations OSF: Odour Safety Factor NOAEL :No Observed Adverse Effect Level LOAEL: Lowest Observed Adverse Effect Level LOAEL: Lowest Observed Adverse Effect Level LODE: Limit Of Detection OTV: Odour Threshold Value BCF: BioConcentration Factors BEI: Biological Exposure Index

Powered by AuthorITe, from Chemwatch.