

# SAFETY DATA SHEET

Supersedes Date: 14-Sept-2018

Revision Date: 14-Sept-2018

Version: 1

## 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier

Product Label Name <u>Other means of identification</u> UPC Code(s) Product code Synonyms Professional Leather Revitalizer

Not applicable CL205 None

#### Recommended use of the chemical and restrictions on use

Recommended UseRevitalize and replenish natural moisture and oil for leather.Uses advised againstFollow label instructions. Not recommended for any use except intended use.

**Manufacturer Address** 

4282 South 590 West

Bridgewater

Supplier's details

#### Supplier Address Hydro-Force

4282 South 590 West Salt Lake City, UT 84123 USA

#### Emergency telephone number

#### Company Phone Number Company Emergency Phone Number Emergency telephone

Salt Lake City, UT 84123 USA 1-801-268-2673

United States: 1-800-535-5053 (INFOTRAC – 24 hours, 7 days a week) International: 1-352-323-3500 (INFOTRAC – 24 hours, 7 days a week) Poison Control 1-800-222-1222 (24 hour)

## 2. HAZARDS IDENTIFICATION

#### **Classification**

#### **OSHA Regulatory Status**

This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)


Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 1
Skin sensitization	Category 1
Respiratory sensitization	Category 1

## GHS Label elements, including precautionary statements

#### Emergency Overview

## Danger

#### Hazard Statements Causes skin irritation Causes serious eye damage May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction.



#### **Precautionary Statements - Prevention**

Wash face, hands and any exposed skin thoroughly after handling Wear protective gloves/protective clothing/eye protection/face protection

#### **Precautionary Statements - Response**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor/physician IF ON SKIN: Wash with plenty of soap and water If skin irritation occurs: Get medical advice/attention Take off contaminated clothing and wash before reuse Avoid breathing dust/fume/gas/mist/vapors/spray. In case of inadequate ventilation, wear respiratory protection. IF INHALED: If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing. If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse.

#### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant.

#### Hazards not otherwise classified (HNOC)

Other information General Hazards

Keep out of reach of children

Please see Section 11. Toxicological Information for further information

0% of the mixture consists of ingredient(s) of unknown toxicity

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS-No	Weight %	Trade Secret
Naphtha, petroleum, hydrotreated heavy	64742-48-9	1 - 5	*
Butoxyethanol	111-76-2	1 - 5	*

\*The exact percentage (concentration) of composition has been withheld as a trade secret

#### 4. FIRST AID MEASURES

#### First aid measures for different exposure routes

General advice If symptoms persist, call a physician.

Eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Keep eye wide open while rinsing. If symptoms persist, call a physician.

Skin contact	Remove and wash contaminated clothing before re-use. Wash off immediately with plenty of water. If skin irritation persists, call a physician. Immediate medical attention is not required. Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes.	
Toxic - Inhalation	Immediate medical attention is not required. Move to fresh air in case of accidental inhalation of vapors. If symptoms persist, call a physician.	
Ingestion	Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Consult a physician. Do NOT induce vomiting.	
Protection of First-aiders	Use personal protective equipment.	
Most important symptoms/effects,	ts, acute and delayed	
Main Symptoms	No information available.	
Indication of immediate medical att	attention and special treatment needed, if necessary	
Notes to physician	Treat symptomatically.	

## **5. FIRE-FIGHTING MEASURES**

#### Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media CAUTION: Use of water spray when fighting fire may be inefficient.

#### Specific hazards arising from the chemical

No information available.

Hazardous Combustion No information available. Products

Explosion Data Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

#### Protective Equipment and Precautions for Firefighters

Wear self contained breathing apparatus for fire fighting if necessary.

#### 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

Personal precautions	Use personal protective equipment. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.
Advice for emergency responders	For personal protection see section 8.
Environmental precautions	
Environmental precautions	See Section 12 for additional Ecological Information. Do not flush into surface water or sanitary sewer system. Prevent further leakage or spillage if safe to do so. Prevent product from entering drains.
Methods and materials for containr	nent and cleaning up

Methods for cleaning up	Use personal protective equipment. Dam up. Cover liquid spill with sand, earth or other noncombustible absorbent material. Take up mechanically, placing in appropriate containers for disposal. Clean contaminated surface thoroughly. Soak up with inert absorbent material. Pick up and transfer to properly labeled containers.	
	7. HANDLING AND STORAGE	
Precautions for safe handling		
Advice on safe handling	Use only in area provided with appropriate exhaust ventilation. Wear personal protective equipment. Do not breathe vapors or spray mist.	
Conditions for safe storage, inclu	ding any incompatibilities	
Technical measures/Storage conditions	Keep containers tightly closed in a cool, well-ventilated place. Keep in properly labeled containers.	
Packaging material	Keep product in packaging product is initially sold in.	
Incompatible products	None known based on information supplied.	
8. EXPOSURE CONTROLS/PERSONAL PROTECTION		

#### Control parameters

#### **Exposure Guidelines**

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Butoxyethanol 111-76-2	TWA: 20 ppm	TWA: 50 ppm TWA: 240 mg/m <sup>3</sup> (vacated) TWA: 25 ppm (vacated) TWA: 120 mg/m <sup>3</sup> (vacated) S*	IDLH: 700 ppm TWA: 5 ppm TWA: 24 mg/m <sup>3</sup>
		S*	

NIOSH IDLH: Immediately Dangerous to Life or Health

Other Exposure Guidelines Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

#### Appropriate engineering controls

Engineering Measures	Showers Eyewash stations Ventilation systems.
Individual protection measures, su	ch as personal protective equipment
Eye/Face Protection	Tightly fitting safety goggles. Face-shield.
Skin and body protection	No special protective equipment required.
Respiratory protection	If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.
Hygiene measures	When using, do not eat, drink or smoke. Provide regular cleaning of equipment, work area and clothing.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

#### Physical and chemical properties

Physical state Appearance Color	liquid Hazy liquid milky white	Odor Odor threshold	None No information available
Property	Values_	Remarks · Method	
pH Malting paint	7.0		
Melting point	No information available > 100 °C / 212 °F		
Boiling point/boiling range Flash Point	> 100 °C / 212 °F > 94 °C / > 201 °F		
Evaporation rate	No information available		
Flammability (solid, gas)	No information available		
Flammability Limits in Air	No information available		
Upper Flammability Limit	No information available		
Lower Flammability Limit	No information available		
Vapor pressure	17.5		
Vapor density	0.7		
Specific Gravity	1.093		
Water solubility	Soluble in water		
Solubility in other solvents	No information available		
Partition coefficient: n-octanol/wat			
Autoignition temperature	No information available		
Decomposition temperature	No information available		
Viscosity, kinematic	No information available	200 cps	
Viscosity, dynamic	No information available		
Explosive properties	No information available		
Oxidizing Properties	No information available		
Other information			
Softening point	No information available		
Molecular weight	No information available		
VOC Content(%)	No information available		
Density VALUE	No information available		
Bulk Density VALUE	No information available		

#### **10. STABILITY AND REACTIVITY**

#### Reactivity

Chemical stability

Stable under recommended storage conditions.

#### Possibility of hazardous reactions

None under normal processing.

#### Hazardous Polymerization

None under normal processing.

#### Conditions to Avoid

Extremes of temperature and direct sunlight.

#### Incompatible Materials

None known based on information supplied.

#### Hazardous Decomposition Products

None known based on information supplied.

## **11. TOXICOLOGICAL INFORMATION**

#### Information on likely routes of exposure

#### **Product Information**

Toxic - Inhalation	Avoid breathing vapors or mists. May cause irritation of respiratory tract.
Eye contact	Avoid contact with eyes. Risk of serious damage to eyes. Irritating to eyes.
Skin contact	Avoid contact with skin. Irritating to skin. Prolonged contact may cause redness and irritation.
Ingestion	Do not taste or swallow. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Naphtha, petroleum, hydrotreated	> 5000 mg/kg (Rat)	3160 mg/kg (Rabbit)	
heavy			
64742-48-9			
Butoxyethanol	= 470 mg/kg (Rat)	= 220 mg/kg (Rabbit)	= 450 ppm (Rat) 4 h
111-76-2			

#### Information on toxicological effects

Symptoms

No information available.

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation	No information available.
Eye damage/irritation	No information available.
Sensitization	No information available.
Germ Cell Mutagenicity	No information available.
Carcinogenicity	No information available.
Reproductive toxicity	No information available.
Developmental Toxicity	No information available.
STOT - single exposure	No information available.
STOT - repeated exposure	No information available.
Chronic toxicity	Avoid repeated exposure.
Target Organ Effects	Central nervous system, Eyes, Respiratory system.
Aspiration hazard	No information available.

#### Numerical measures of toxicity - Product Information

Unknown acute toxicity	0% of the mixture consists of ingredient(s) of unknown toxicity
The following values are calculated	based on chapter 3.1 of the GHS document
ATEmix (oral)	>5000 mg/kg
ATEmix (dermal)	>5000 mg/kg

## **12. ECOLOGICAL INFORMATION**

#### **Ecotoxicity**

0% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to daphnia and other aquatic invertebrates
Butoxyethanol 111-76-2		1490: 96 h Lepomis macrochirus mg/L LC50 static 2950: 96 h Lepomis macrochirus mg/L LC50	1000: 48 h Daphnia magna mg/L EC50

#### Persistence and degradability

No information available.

#### **Bioaccumulation**

No information available.

Chemical Name	Partition coefficient
Butoxyethanol	0.81
111-76-2	

Other adverse effects

No information available

#### **13. DISPOSAL CONSIDERATIONS**

#### Waste treatment

 Waste Disposal Methods
 Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated packaging Do not re-use empty containers.

**14. TRANSPORT INFORMATION** 

DOT	Not regulated
IMDG	Not regulated
ΙΑΤΑ	Not regulated

15. REGULATORY INFORMATION			
Complies			
Complies			
	1		

#### Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

#### **US Federal Regulations**

#### SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

Chemical Name	SARA 313 - Threshold Values %	
Butoxyethanol - 111-76-2	1.0	
SARA 311/312 Hazard Categories		
Acute Health Hazard	Yes	
Chronic Health Hazard	No	
Fire Hazard	No	
Sudden Release of Pressure Hazard	No	
Reactive Hazard	No	

#### **Clean Water Act**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

#### **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

#### US State Regulations

#### **California Proposition 65**

This product does not contain any Proposition 65 chemicals.

#### U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Butoxyethanol	Х	X	Х
111-76-2			

#### U.S. EPA Label information

EPA Pesticide Registration Number Not applicable

16. OTHER INFORMATION				
NFPA	Health hazard 2	Flammability 1	Instability 0	Physical and chemical hazards
HMIS	Health hazard 2	Flammability 1	Physical Hazard 0	Personal protection X
Prepared By	Bridgewater Environmental Health & Safety			
Revision Date	14-Sept-	-		
Revision Note				
No information available				

**Disclaimer** 

The (M)SDS is intended to provide a brief summary of our knowledge and guidance regarding the use of this material. The information contained here has been compiled from sources considered by Bridgewater, LLC to be dependable and is accurate to the best of the Company's knowledge. It is not meant to be an all-inclusive document on worldwide hazard communication regulations.

This information is offered in good faith. Each user of this material needs to evaluate the conditions of use and design the appropriate protective mechanisms to prevent employee exposures, property damage or release to the environment. Bridgewater, LLC assumes no responsibility for injury to the recipient of third persons, or for any damage to any property resulting from misuse of the product.

**End of Material Safety Data Sheet**