

SAFETY DATA SHEET

Revision Date: 03-Mar-2016

Version: 1

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product	identifier

Viper Venom Powder with Citrus

Not applicable CR23 None

Recommended use of the chemical and restrictions on use

Recommended Use	Specialty cleaner. Tile and grout cleaner.
Uses advised against	Follow label instructions. Not recommended for any use except intended use.

Supplier's details

Supplier Address
Hydro-Force
4282 South 590 West
Salt Lake City, UT 84123
USA

Emergency telephone number

Company Phone Number
Company Emergency Phone
Number
Emergency telephone

Manufacturer Address Bridgewater 4282 South 590 West Salt Lake City, UT 84123 USA

1-801-268-2673 United States: 1-800-535-5053 (INFOTRAC – 24 hours, 7 days a week) International: 1-352-323-3500 (INFOTRAC – 24 hours, 7 days a week) Poison Control 1-800-222-1222 (24 hour)

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity - Inhalation	Category 4
Skin corrosion/irritation	Category 1 Sub-category B
Serious eye damage/eye irritation	Category 1

GHS Label elements, including

precautionary statements

Emergency Overview

Danger

Hazard Statements Harmful if inhaled

Causes severe skin burns and eye damage



Precautionary Statements - Prevention

Use only outdoors or in a well-ventilated area Do not breathe dust/fume/gas/mist/vapors/spray Wash face, hands and any exposed skin thoroughly after handling Wear protective gloves/protective clothing/eye protection/face protection

Precautionary Statements - Response

Immediately call a POISON CENTER or doctor/physician IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower Wash contaminated clothing before reuse IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing Call a POISON CENTER or doctor/physician if you feel unwell IF SWALLOWED: Rinse mouth. Do NOT induce vomiting

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Other information

- May be harmful if swallowed
- · May be harmful in contact with skin
 - General Hazards Keep out of reach of children Please see Section 11. Toxicological Information for further information

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS-No	Weight %	Trade Secret
Sodium carbonate	497-19-8	30 - 70	*
Sodium metasilicate	6834-92-0	10 - 30	*
Butoxyethanol	111-76-2	1 - 5	*
ALCOHOLS, C9-11, ETHOXYLATED	68439-46-3	1 - 5	*

*The exact percentage (concentration) of composition has been withheld as a trade secret

4. FIRST AID MEASURES

First aid measures for different exposure routes

General advice

Immediate medical attention is required.

Eye contactImmediate medical attention is required. Rinse immediately with plenty of water, also under
the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected

	area.	
Skin contact	Immediate medical attention is required. Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes.	
Toxic - Inhalation	Move to fresh air. Call a physician or Poison Control Center immediately. If not breathing, give artificial respiration. If breathing is difficult, give oxygen.	
Ingestion	Immediate medical attention is required. Do NOT induce vomiting. Drink plenty of water. Never give anything by mouth to an unconscious person. Remove from exposure, lie down. Clean mouth with water and drink afterwards plenty of water. Call a physician or Poison Control Center immediately.	
Protection of First-aiders	Use personal protective equipment. Avoid contact with skin, eyes and clothing.	
Most important symptoms/effects, acute and delayed		
Main Symptoms	No information available.	
Indication of immediate medical attention and special treatment needed, if necessary		
Notes to physician	Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood pressure may occur with moist rales, frothy sputum, and high pulse pressure. Treat symptomatically.	

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media CAUTION: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the chemical

The product causes burns of eyes, skin and mucous membranes. Thermal decomposition can lead to release of irritating gases and vapors. In the event of fire and/or explosion do not breathe fumes.

Hazardous Combustion No information available. Products

Explosion Data Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions	Evacuate personnel to safe areas. Use personal protective equipment. Avoid contact with skin, eyes and clothing. Keep people away from and upwind of spill/leak.
Other information	Refer to protective measures listed in Sections 7 and 8.
Advice for emergency responders	For personal protection see section 8.

Environmental precautions

Environmental precautions Do not allow material to contaminate ground water system. Should not be released into the environment. Prevent further leakage or spillage if safe to do so. Prevent product from entering drains.

Methods and materials for containment and cleaning up

 Methods for Containment
 Prevent further leakage or spillage if safe to do so.

 Methods for cleaning up
 Take up mechanically, placing in appropriate containers for disposal. Clean contaminated surface thoroughly. Use personal protective equipment. Cover powder spill with plastic sheet or tarp to minimize spreading and keep powder dry. Avoid dust formation. Dam up. After cleaning, flush away traces with water.

7. HANDLING AND STORAGE

Precautions for safe handling		
Advice on safe handling	Wear personal protective equipment. Avoid contact with skin, eyes and clothing. Ensure adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Handle product only in closed system or provide appropriate exhaust ventilation at machinery.	
Conditions for safe storage, including any incompatibilities		
Technical measures/Storage conditions	Keep container tightly closed in a dry and well-ventilated place. Keep out of the reach of children. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep in properly labeled containers.	
Packaging material	Keep product in packaging product is initially sold in.	
Incompatible products	Incompatible with strong acids and bases. Incompatible with oxidizing agents.	

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Butoxyethanol 111-76-2	TWA: 20 ppm	TWA: 50 ppm TWA: 240 mg/m ³ (vacated) TWA: 25 ppm (vacated) TWA: 120 mg/m ³ (vacated) S*	IDLH: 700 ppm TWA: 5 ppm TWA: 24 mg/m ³
		S*	

NIOSH IDLH: Immediately Dangerous to Life or Health

Other Exposure Guidelines

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

Appropriate engineering controls

Engineering Measures

Showers Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/Face Protection	Tightly fitting safety goggles. Face-shield.
Skin and body protection	No special protective equipment required.
Respiratory protection	If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.
Hygiene measures	When using, do not eat, drink or smoke. Remove and wash contaminated clothing before re-use. Keep away from food, drink and animal feeding stuffs. Contaminated work clothing should not be allowed out of the workplace. Provide regular cleaning of equipment, work area and clothing. Avoid contact with skin, eyes and clothing. For environmental protection, remove and wash all contaminated protective equipment before re-use. Wear suitable gloves and eye/face protection.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical and chemical properties

Physical state Appearance	solid powder	Odor	orange Lemon lime
Color	yellow	Odor threshold	No information available
	yenew		
Property	Values	Remarks · Method	
рН	12.2	(as 1% solution)	
Melting point	No information available		
Boiling point/boiling range	No information available		
Flash Point	No information available		
Evaporation rate	No information available		
Flammability (solid, gas)	No information available		
Flammability Limits in Air			
Upper Flammability Limit	No information available		
Lower Flammability Limit	No information available		
Vapor pressure	No information available		
Vapor density	No information available		
Specific Gravity	0.949		
Water solubility	No information available		
Solubility in other solvents	No information available		
Partition coefficient: n-octanol/wate	erNo information available		
Autoignition temperature	No information available		
Decomposition temperature	No information available		
Viscosity, kinematic	No information available	200 cps	
Viscosity, dynamic	No information available	-	
Explosive properties	No information available		
Oxidizing Properties	No information available		
Other information			
Softening point	No information available		
Molecular weight	No information available		
VOC Content(%)	No information available		
Density VALUE	0.949		
Bulk Density VALUE	No information available		
-			

10. STABILITY AND REACTIVITY

Reactivity

Chemical stability

Stable under recommended storage conditions. Possibility of hazardous reactions None under normal processing. Hazardous Polymerization None under normal processing.

<u>Conditions to Avoid</u> Exposure to air or moisture over prolonged periods. <u>Incompatible Materials</u> Incompatible with strong acids and bases. Incompatible with oxidizing agents. <u>Hazardous Decomposition Products</u> Thermal decomposition can lead to release of irritating gases and vapors.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Toxic - Inhalation	Avoid breathing vapors or mists. Harmful by inhalation. May cause irritation of respiratory tract. Inhalation of dust in high concentration may cause irritation of respiratory system.
Eye contact	Avoid contact with eyes. Risk of serious damage to eyes. May cause burns. May cause irreversible damage to eyes.
Skin contact	Irritating to skin. Avoid contact with skin. Prolonged contact may cause redness and irritation. Repeated exposure may cause skin dryness or cracking. May cause burns.
Ingestion	Do not taste or swallow. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. May be harmful if swallowed.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Sodium carbonate 497-19-8	= 4090 mg/kg (Rat)	2210 mg/kg (rat)	= 2300 mg/m ³ (Rat)2 h
Sodium metasilicate 6834-92-0	= 1153 mg/kg (Rat)	>5000 mg/kg (rat)	
Butoxyethanol 111-76-2	= 470 mg/kg (Rat)	= 99 mg/kg (Rabbit)	= 450 ppm (Rat)4 h
ALCOHOLS, C9-11, ETHOXYLATED 68439-46-3	= 1400 mg/kg (Rat)= 1378 mg/kg (Rat)	> 2 g/kg (Rabbit)	

Information on toxicological effects

Symptoms

No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Eye damage/irritation Sensitization Germ cell mutagenicity Carcinogenicity	No informatio No informatio No informatio No informatio The table bel	n available. n available. n available.	h agency has listed any inc	gredient as a carcinogen.
Chemical Name	ACGIH	IARC	NTP	OSHA
Butoxyethanol	A3	Group 3		
111-76-2				
ACGIH: (American Conference of Governmental Industrial Hygienists)				
A3 - Animal Carcinogen				
IARC: (International Agency for Research on Cancer)				
Group 3 - Not Classifiable	Group 3 - Not Classifiable as to Carcinogenicity in Humans			
Reproductive toxicity	No information available.			
Developmental Toxicity	No informatio	n available.		
STOT - single exposure	No informatio	n available.		

STOT - repeated exposure Chronic toxicity	No information available. Chronic exposure to corrosive fumes/gases may cause erosion of the teeth followed by jaw necrosis. Bronchial irritation with chronic cough and frequent attacks of pneumonia are common. Gastrointestinal disturbances may also be seen. Avoid repeated exposure. Possible risks of irreversible effects.
Aspiration hazard	No information available.

Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document

ATEINIX (Utal)	2040
ATEmix (dermal)	2336
ATEmix (inhalation-gas)	18682
ATEmix (inhalation-dust/mist)	13.4

12. ECOLOGICAL INFORMATION

Ecotoxicity

9.025% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to daphnia and other aquatic invertebrates
Sodium carbonate 497-19-8	242: 120 h Nitzschia mg/L EC50	300: 96 h Lepomis macrochirus mg/L LC50 static 310 - 1220: 96 h Pimephales promelas mg/L LC50 static	265: 48 h Daphnia magna mg/L EC50
Sodium metasilicate 6834-92-0		210: 96 h Brachydanio rerio mg/L LC50 semi-static 210: 96 h Brachydanio rerio mg/L LC50	216: 96 h Daphnia magna mg/L EC50
Butoxyethanol 111-76-2		1490: 96 h Lepomis macrochirus mg/L LC50 static 2950: 96 h Lepomis macrochirus mg/L LC50	1000: 48 h Daphnia magna mg/L EC50 1698 - 1940: 24 h Daphnia magna mg/L EC50

Persistence and degradability

No information available.

Bioaccumulation

No information available.

Chemical Name	Partition coefficient
Butoxyethanol	0.81
111-76-2	

Other adverse effects

No information available

13. DISPOSAL CONSIDERATIONS

```
Waste treatment
```

Waste Disposal Methods Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated packaging

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Do not re-use empty containers.

Chemical Name	California Hazardous Waste Status
Sodium carbonate	Corrosive
497-19-8	

14. TRANSPORT INFORMATION

DOT	Not regulated
IATA	Not regulated
IMDG_	Not regulated

15. REGULATORY INFORMATION

International Inventories	
TSCA	Complies
DSL/NDSL	Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

Chemical Name	SARA 313 - Threshold Values %	
Butoxyethanol - 111-76-2	1.0	
SARA 311/312 Hazard Categories		
Acute Health Hazard	Yes	
Chronic Health Hazard	Yes	
Fire Hazard	No	
Sudden Release of Pressure Hazard	No	
Reactive Hazard	No	

Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
PENTASODIUM TRIPOLYPHOSPHATE 7758-29-4		x	X
Butoxyethanol 111-76-2	X	X	Х

U.S. EPA Label information

EPA Pesticide Registration Number Not applicable

16. OTHER INFORMATION							
NFPA	Health hazard 3	Flammability	0	Instability 0	Physical and chemical hazards		
HMIS	Health hazard 3	Flammability	0	Physical Hazard 0	Personal protection X		
Prepared By	Bridgev Enviror	water hmental Health & Sat	ety				
Revision Date	03-Mar-2016						
Revision Note							
No information available							
<u>Disclaimer</u>							
The (M)SDS is intended to provide a brief summary of our knowledge and guidance regarding the use of this material. The							

The (M)SDS is intended to provide a brief summary of our knowledge and guidance regarding the use of this material. The information contained here has been compiled from sources considered by Bridgewater LLC to be dependable and is accurate to the best of the Company's knowledge. It is not meant to be an all-inclusive document on worldwide hazard communication regulations.

This information is offered in good faith. Each user of this material needs to evaluate the conditions of use and design the appropriate protective mechanisms to prevent employee exposures, property damage or release to the environment. Bridgewater LLC assumes no responsibility for injury to the recipient of third persons, or for any damage to any property resulting from misuse of the product.

End of Material Safety Data Sheet