

Section 01 Identification

Sodium Hypochlorite 7-16% **Product Identifier**

Other Means of Identification Sodium hypochlorite, Bleach, Chlorox, Hypochlorous acid, sodium salt, Javel water, liquid

bleach.

Product Use and Restrictions on Use Disinfectant, bleaching agent, source of available chlorine, deodorizer.

Initial Supplier Identifier ClearTech Industries Inc.

> 1500 Quebec Avenue Saskatoon, SK. Canada

S7K 1V7

Phone: 800.387.7503 Fax: 888.281.8109 www.cleartech.ca

Prepared By ClearTech Industries Inc. technical writer

24-Hour Emergency Phone 306.664.2522

Section 02 Hazard Identification

Physical Hazards

Corrosive to metals Category 1

Health Hazards

Skin corrosion / irritation Category 1

Signal Word

Danger

Hazard Statements

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

Pictograms



Precautionary Statements

Prevention

P234 Keep only in original packaging.

Customer Service: 800.387.7503 www.cleartech.ca Emergency: 306.664.2522 Revision Date: June 24, 2019

Page 1 of 9

P260 Do not breathe vapours, fumes, or mists.

P264 Wash affected body parts thoroughly after handling.

P280 Wear protective gloves, protective clothing, eye protection, face protection.

Response

P301 P330 P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303 P361 P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or

P363 shower. Wash contaminated clothing before reuse.

P304 P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a

POISON CENTER or doctor.

P305 P351 P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

P390 Absorb spillage to prevent material damage.

Storage

P405 Store locked up.

Disposal

P501 Dispose of contents / container in accordance with all federal, provincial and / or local regulations including the Canadian Environmental Protection Act.

Hazards Not Otherwise Classified

Not available

Supplemental Information

Not available

Section 03 Composition / Information on Ingredients

Hazardous Ingredients:

Chemical name Common name(s) **CAS** number Concentration (w/w%)

Sodium Hypochlorite Chlorine bleach 7681-52-9 5-15%

Section 04 First-Aid Measures

Description of necessary first-aid measures

Inhalation Remove source of exposure or move person to fresh air and keep comfortable for breathing. Call a POISON

CENTER or doctor. If breathing has stopped, trained personnel should begin rescue breathing or if the heart has stopped, immediately start cardiopulmonary resuscitation (CPR) or automated external defibrillation (AED). Avoid mouth to mouth contact by using a barrier device. May release toxic chlorine gas.

Ingestion Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor. If vomiting occurs

naturally, lie on your side, in the recovery position.

Skin Avoid direct contact. Wear chemical protective clothing, if necessary. Take off immediately contaminated contact clothing, shoes and leather goods. Rinse skin with lukewarm, gently flowing water / shower for 30 minutes. Immediately call a POISON CENTER or doctor. Wash contaminated clothing before re-use, or discard.

Eye Avoid direct contact. Wear chemical protective gloves, if necessary. Remove source of exposure or move contact person to fresh air. Rinse eyes cautiously with lukewarm, gently flowing water for several minutes, while holding the eyelids open. Remove contact lenses, if present and easy to do. Continue rinsing for 30 minutes.

Take care not to rinse contaminated water into the unaffected eye or onto the face. Immediately call a

POISON CENTER or doctor.

Revision Date: June 24, 2019

Customer Service: 800.387.7503 www.cleartech.ca Emergency: 306.664.2522

Most important symptoms and effects, both acute and delayed

Inhalation Causes severe burns to the mouth and throat (mist). May release toxic chlorine gas.

Ingestion Causes burns to the mouth and throat.

Skin contact Causes severe skin burns.

Eye contact Causes serious eye damage.

Further information For further information see Section 11 Toxicological Information.

Section 05 Fire Fighting Measures

Suitable extinguishing media Extinguish fire using extinguishing agents suitable for the surrounding fire.

Unsuitable extinguishing media

Do NOT use dry chemical fire extinguishing agents containing ammonium compounds (such as some A:B:C agents), since an explosive compound can be formed.

Specific hazards arising from the chemical

Sodium hypochlorite decomposes when heated, giving off toxic chlorine gas. Explosive decomposition may occur under fire conditions and closed containers may rupture violently due to a rapid decomposition, if exposed to fire or excessive heat for a sufficient period of time. Thermal decomposition occurs at 50 °C.

Special protective equipment for fire-fighters

Wear NIOSH-approved self-contained breathing apparatus and protective clothing. The decomposition products of sodium hypochlorite, such as chlorine are extremely hazardous to health. Do not enter without wearing specialized protective equipment suitable for the situation. Firefighter's normal protective equipment (Bunker Gear) may not provide adequate protection.

Section 06 Accidental Release Measures

Personal Precautions / Protective Equipment / Emergency Procedures Wear appropriate personal protective equipment (See Section 08 Exposure Controls and Personal Protection). Stay upwind, ventilate area. Only enter area with PPE.

Environmental Precautions

Prevent material from entering waterways, sewers or confined spaces. Notify local health and wildlife officials. Notify operators of nearby water intakes.

Methods and Materials for Containment and Cleaning Up SMALL SPILLS: Approach from upwind, ventilate area. Stop or reduce leak if safe to do so. Clean up spill with non-reactive absorbent and place in suitable, covered, labeled containers. Flush area with water. Contaminated absorbent material may pose the same hazards as the spilled product.

LARGE SPILLS: Contact fire and emergency services and supplier for advice.

Section 07 Handling and Storage

Precautions for Safe Handling Use proper equipment for lifting and transporting all containers. Use sensible industrial hygiene and housekeeping practices. Wash thoroughly after handling. Avoid all situations that could lead to harmful exposure. Prevent the release of vapours, fumes, or mists into the workplace air. Inspect containers for damage or leaks before handling. If the original label is damaged or missing replace with a workplace label. Never return contaminated material to its original container. Have suitable emergency equipment for fires, spills and leaks readily available.

Customer Service: 800.387.7503 www.cleartech.ca Emergency: 306.664.2522 Revision Date: June 24, 2019 Page 3 of 9

Conditions for Safe Storage

Store in a cool, dry, well-ventilated area, out of direct sunlight, away from heat sources and incompatible materials. Always store in original labeled container. Keep containers tightly closed when not in use and when empty. Empty containers may contain hazardous residues. Protect label and keep it visible. Do not transfer to metal containers. Strong solutions (greater than 10% available chlorine) may slowly give off chlorine during storage, especially when warm (above 18°C). Vent caps are required to prevent a build-up of pressure that could cause containers to burst.

Incompatibilities

Acids, such as sulphuric, nitric, hydrochloric, phosphoric, flurosilicic (HFSA), sulphonic,

acetic, citric, oxalic, and formic.

Oxidizing agents, such as oxygen, hydrogen peroxide, sulphuric and nitric acids and

permanganates.

Organic material, such as wood, paper, gasoline, diesel, solvents and some glycol based

heat transfer fluids

Metals, such as aluminum, steel, and brass.

Section 08 Exposure Controls and Personal Protection

Exposure limits

Component	Regulation	Type of listing	Value
Sodium Hypochlorite	NIOSH	REL	2 mg/m³
	OSHA	PEL	2 mg/m³
Chlorine	NIOSH	REL	1.45 mg/m³ (15-minute)

Engineering controls

Ventilation Requirements

Mechanical ventilation (dilution or local exhaust), process or personnel enclosure and control of process conditions should be provided in accordance with all fire codes and regulatory requirements. Supply sufficient replacement air to make up for air removed by exhaust systems.

Other

An emergency shower and eyewash station should be available, tested, and be in close proximity to the product being handled in accordance with provincial regulations.

Protective equipment

The following are recommendations only. It is the responsibility of the employer / user to conduct a hazard assessment of the process in which this product being used and determine the proper engineering controls and PPE for their process. Additional regulatory and safety information should be sought from local authorities and, if needed, a professional industrial hygienist.

Eye and face protection

Where there is potential eye or face exposure, tightly fitting safety goggles and a face shield or a full face respirator or similar protective equipment which protects the wearer's face and eyes are recommended. Contact lenses are not recommended; they may contribute to severe eye injury.

Hand and body protection

Where handling this product it is recommended that chemically resistant gloves are worn. Resistance of specific materials can vary from product to product. Breakthrough times are obtained under conditions of continuous contact, generally at room temperature. Evaluate resistance under conditions of use and maintain protective clothing.

Where there is potential for contact with clothing or skin, rubber boots and sufficient body protection, such as: a chemical body suit or an apron and coveralls of chemical resistant material, are recommended. Continued use of contaminated safety gear or clothing is not recommended; wash before reuse or discard.

Customer Service: 800.387.7503 <u>www.cleartech.ca</u>

Revision Date: June 24, 2019

Emergency: 306.664.2522

Respiratory protection

In case of insufficient ventilation wear suitable respiratory equipment.

NIOSH respirator recommendations for: Chlorine

Up to: 5 ppm

(APF = 10) Any chemical cartridge respirator with cartridge(s) providing protection against the compound of concern

(APF = 10) Any supplied-air respirator

Up to: 10 ppm

(APF = 25) Any supplied-air respirator operated in a continuous-flow mode

(APF = 25) Any powered, air-purifying respirator with cartridge(s) providing protection against the compound of concern

(APF = 50) Any chemical cartridge respirator with a full facepiece and cartridge(s) providing protection against the compound of concern

(APF = 50) Any air-purifying, full-facepiece respirator (gas mask) with a chin-style, front- or back-mounted canister providing protection against the compound of concern

(APF = 50) Any self-contained breathing apparatus with a full facepiece.

(APF = 50) Any supplied-air respirator with a full facepiece

Emergency or planned entry into unknown concentrations or IDLH conditions:

(APF = 10,000) Any self-contained breathing apparatus that has a full facepiece and is operated in a pressure-demand or other positive-pressure mode

(APF = 10,000) Any supplied-air respirator that has a full facepiece and is operated in a pressure-demand or other positive-pressure mode in combination with an auxiliary self-contained positive-pressure breathing apparatus

Escape

(APF = 50) Any air-purifying, full-facepiece respirator (gas mask) with a chin-style, front- or back-mounted canister providing protection against the compound of concern Any appropriate escape-type, self-contained breathing apparatus

Thermal hazards

Not available

Section 09 Physical and Chemical Properties

Appearance

Physical state Liquid

Colour Clear, greenish-yellow solution

Odour Strong chlorine odour

Odour threshold Not available

Property

pH 10.8-11.2

Melting point / freezing point Not available

Initial boiling point and

Revision Date: June 24, 2019

boiling range

Slowly decomposes above 40°C

Flash point Not available

Evaporation rate Not available

Customer Service: 800.387.7503 <u>www.cleartech.ca</u> Emergency: 306.664.2522

Flammability Not applicable

Upper flammable limit Not available

Lower flammable limit Not available

Vapour pressure Negligible

Vapour density Not available

Relative density Not applicable

Solubility Completely soluble in water

Partition coefficient: n-

octanol/water

 $Log POW = \sim -3.42$

Auto-ignition temperature Not available

Decomposition temperature 40°C

Viscosity Not available

Specific gravity 1.1-1.2 g/mL

Formula NaOCI

Molecular weight 74.44 g/mol

Section 10 Stability and Reactivity

Reactivity May be corrosive to metals. Reacts violently with acids. Sodium hypochlorite solution

gives off oxygen when heated or when exposed to sunlight. However, the amount is small

and should not cause or contribute to combustion.

Stability This product is stable if stored according to the recommendations in Section 07. Sodium

hypochlorite solutions decompose slowly at normal temperatures releasing low

concentrations of toxic chlorine gas.

Possibility of hazardous

reactions

Not available

Conditions to avoid Avoid contact with incompatible materials. Do not heat. Do not freeze.

Incompatible materials Acids, such as sulphuric, nitric, hydrochloric, phosphoric, flurosilicic (HFSA), sulphonic,

acetic, citric, oxalic, and formic.

Oxidizing agents, such as oxygen, hydrogen peroxide, sulphuric and nitric acids and

permanganates.

Organic material, such as wood, paper, gasoline, diesel, solvents and some glycol based

heat transfer fluids

Metals, such as aluminum, steel, and brass.

Hazardous decomposition

products

Chlorine, sodium chlorate.

Section 11 Toxicological Information

Acute Toxicity (LD50 values)

Customer Service: 800.387.7503 www.cleartech.ca Emergency: 306.664.2522

Revision Date: June 24, 2019

Component	Route	Species	Value	Exposure time
Sodium Hypochlorite	Oral	Rat	8910 mg/kg	
	Oral	Mouse	5800 mg/kg	
Chlorine	Inhalation	Mouse	137 ppm	1 hour

Toxic Health Effect Summary

Chemical characteristics This product is not bioavailable. This product is highly reactive and is not expected to persist in the

body.

Skin Very dilute solutions have caused negligible irritation, while more concentrated solutions have caused

acute corrosive injury to skin. Prolonged exposure may lead to permanent scarring of skin.

Ingestion Acute exposure may lead to burning of the mouth and throat, abdominal cramps, nausea, vomiting,

diarrhea, shock. May lead to convulsions, coma, and even death.

Inhalation Causes severe burns to the mouth and throat (mist). Irritant of the nose and throat, causing coughing,

difficulty breathing, and pulmonary edema.

Eye contact Causes irritation, redness, and pain. May cause burns and possible damage to vision.

Negative results (0/20 guinea pigs sensitized) have been obtained for 8% sodium hypochlorite solution Sensitization

in a skin sensitization test. Insufficient details are available to evaluate a report of a positive result (positive reactions in 2/10 animals) obtained using 6% sodium hypochlorite (pH 11.2) with the guinea

pig ear swelling test for non-immunological contact urticaria.

Mutagenicity This product and its components at their listed concentration have no known mutagenic effects.

Carcinogenicity IARC has classified hypochlorite salts as group 3, not classifiable as to its carcinogenicity to humans.

Reproductive toxicity

This product and its components at their listed concentration have no known reproductive effects.

Specific organ toxicity

This product and its components at their listed concentration have no known effects on specific

organs.

Prolonged or repeated overexposure may cause lung damage. Aspiration hazard

Synergistic materials

Not available

Section 12 Ecological Information

Ecotoxicity

Component	Type	Species	Value	Exposure Time
Sodium Hypochlorite	EC50	Red algea	46 mg/L	96 hours
	LC50	Salmo gairdneri	0.07 mg/L	48 hours
	LC50	Daphnia magna	0.032 mg/L	48 hours

Biodegradability The domestic substance list categorizes sodium hypochlorite as non-persistent.

Bioaccumulation The domestic substance list categorizes sodium hypochlorite as non-bioaccumulative.

Mobility This product is water soluble, and will not adsorb to soil and may contaminate ground

water.

Other adverse effects The domestic substance list categorizes sodium hypochlorite as inherently toxic to the

environment.

Customer Service: 800.387.7503 www.cleartech.ca Emergency: 306.664.2522 Revision Date: June 24, 2019

Section 13 Disposal Considerations

Waste From Residues / **Unused Products**

Dispose in accordance with all federal, provincial, and local regulations including the

Canadian Environmental Protection Act.

Contaminated Packaging Do not remove label, follow label warnings even after the container is empty. Empty

containers should be recycled or disposed of at an approved waste handling facility.

Section 14 Transport Information

UN 1791 **UN** number

UN proper shipping name HYPOCHLORITE SOLUTION with more than 7% available chlorine

Transport hazard class(es) Packing group Ш 5 L **Excepted quantities**

Environmental hazards Listed as a marine pollutant under Canadian TDG Regulations, schedule III.

Special precautions No special provisions

Transport in bulk ERAP index: not required

MARPOL 73/78 and IBC Code:

Product name: Sodium hypochlorite solution (15% or less)

Pollution category: Y

Hazards: the product is included in the Code because of both its safety

and pollution hazards.

Ship type: ship type 2

Tank type: integral gravity tank Tank vents: controlled venting

Tank environmental no special requirements under this Code

Temperature classes no requirements

Electrical equipment: Apparatus group no requirements

> Flash point non-flammable product

Gauging: restricted gauging

Vapour detection: no special requirements under this Code Fire protection: no special requirements under this Code Emergency equipment no special requirements under this Code

Specific and operational 15.19.6 requirements

Additional information Secure containers (full or empty) during shipment and ensure all caps, valves, or closures

are secured in the closed position.

TDG PRODUCT CLASSIFICATION: This product has been classified on the preparation date specified at section 16 of this SDS, for transportation in accordance with the requirements of part 2 of the Transportation of Dangerous Goods Regulations. If applicable, testing and published test data regarding the classification of this product are listed in the references at section 16 of this SDS.

Customer Service: 800.387.7503 www.cleartech.ca Emergency: 306.664.2522 Revision Date: June 24, 2019

Section 15 Regulatory Information.

NOTE: THE PRODUCT LISTED ON THIS SAFETY DATA SHEET HAS BEEN CLASSIFIED IN ACCORDANCE WITH THE HAZARD CRITERIA OF THE CANADIAN HAZARDOUS PRODUCTS REGULATIONS. THIS SAFETY DATA SHEET CONTAINS ALL INFORMATION REQUIRED BY THOSE REGULATIONS.

All components of this product appear on the domestic substance list.

NSF Certification: Sodium Hypochlorite 12%, NSF® - 60 is certified under NSF / ANSI Standard 60 for disinfection & oxidation at a maximum dosage of: 103 mg/L

NSF product use restrictions based on requirements obtained from the NSF website; consult NSF website for current requirements.

Section 16 Other Information

Date of latest revision: June 24, 2019

Note: The responsibility to provide a safe workplace remains with the buyer / user. The buyer / user should consider the health hazards and safety information contained herein as a guide and should take those precautions required in an individual operation to instruct employees and develop work practice procedures for a safe work environment. The information contained herein is, to the best of our knowledge and belief, accurate. However, since the conditions of handling and use are beyond our control, we make no guarantee of results, and assume no liability for damages incurred by the use of this material. It is the responsibility of the buyer / user to comply with all applicable laws and regulations regarding handling, using, reselling and shipping this product.

Attention: Receiver of the chemical goods / SDS coordinator

As part of our commitment to the RDC Responsible Distribution® initiative, ClearTech Industries Inc. and its associated companies require, as a condition of sale, that you forward the attached Safety Data Sheet(s) to all affected employees, customers, and end-users. ClearTech will send any available supplementary handling, health, and safety information to you at your request.

If you have any questions or concerns please call our customer service center.

References:

- 1) CHEMINFO
- 2) TOXNET
- 3) eChemPortal
- 4) ECHA
- 5) Transportation of Dangerous Goods Canada
- 6) HSDB
- 7) PAN

Customer Service: 800.387.7503 www.cleartech.ca Emergency: 306.664.2522 Revision Date: June 24, 2019 Page 9 of 9