ATTIX 50 combines high Wet&Dry performance with big container capacity - the ideal solution for demanding customers with high frequency cleaning. The improved ergonomic design ensures functional and user-friendly operation - all in all an effcient and reliable solution.

ATTIX 50 will solve all major tasks in your company, workshop, garage, production etc. The Push&Clean or XtremeClean offers an impressive cleaning performance and keeps the suction performance constantly high. The design offers you cable storage, accessory storage and a big tool deposit to keep all you need at hand. The larger size of the ATTIX 50 allows you to work longer without emptying the container, and with the wide range of available models, it's difficult to imagine that you won't find a perfect match for your wetand dry vacuum cleaning tasks.

Operating costs are minimized with the washable PET fleece filter elements, and the low working noise level lets you work when others are nearby, without disturbing them.

The -21 models are equiped with a convenience socket so no need for a extra extension cable, just plug your tool into the vacuum cleaner. Automatic On/Off (-21) models are the choice of people who use the vacuum cleaner with electric hand tools because starting or stopping the tool starts and stops the vacuum, as well. An optional Airbox is available which performs with the same function when using pneumatic tools.



Picture shown may not represent model quoted

- · Low working sound level SilentPower high performance that is seen, but not heard
- · MultiFit accessory system for the ultimate in task flexibility
- Washable PET fleece filter with minimum 99.9% filtration efficiency
- Accessory storage and tool deposit
- AntiStatic System

Standard equipment

	Included accessories	Ref. no.	Min. required	ATTIX 50 HEPA	ATTIX 50	ATTIX 50 AS/ E
Special Filter						
MILLION	FILTER COOLING ATTIX 30/5	302003721	1			
System 36 Cr	evice/Cone Nozzle					
	CREVICE NOZZLE D36 AERO 21-01	29541	1			
Exhaust Air C	ollector					
	EXHAUST AIR COLLECTOR	302003717	1			



• Standard equipment

	Included accessories		Ref. no.	Min. required	ATTIX 50 AS E HEPA
Special Filter					
IIIIIIIII.	FILTER COOLING ATTIX 30/5		302003721	1	
System 36 Cr	revice/Cone Nozzle				
	CREVICE NOZZLE D36 AERO 21-01		29541	1	
Exhaust Air C	Collector				
	EXHAUST AIR COLLECTOR		302003717	1	
Model		ATTIX 50 HEPA	ATTIX 50	A	TTIX 50 AS/E
Ref. no.		900131	302004233		302004234
PRODUCT FI	EATURES				
Softstart		•	•		•
Anti-static sys	stem	•	•		•
Motor speed	control	•	•		•
	/off - electric tools	•	•		•
	nglife 1-ph. motor	•	•		•
Storage of ac		•	•		•
	upstream filtration	•	•		•
Extra socket f		•	•		•
Disposal bag Fleece filter b		•	•		•
Model				A	TTIX 50 AS/E HEPA
Ref. no.					900151
PRODUCT FI	EATURES				
Softstart					•
Anti-static sys	stem				•
Motor speed of	control				•
Automatic on/	/off - electric tools				•
Brushless lon	nglife 1-ph. motor				•



Ref. no.900151PRODUCT FEATURES•Storage of accessories•HEPA (H14) upstream filtration•Extra socket for tool•Disposal bag 1 pcs•Felece filter bag 1 pcs•Technical specificationsATTIX 50 HEPAPower Prax (W)15001500Power Prax (W)12001200Mains connection (V/~Hz/A)2301/150-60/162301/150-60/16Artify vate (Imin.)37003700Vacuum (Imbar/KPa)250250/25250/25Vorking sound level (BR(A))595959El cable (m)7.57.57.5Cortainer volume (I-max)474747Filter chaning systemPush CleanPush CleanMain filter typePETPETPETPower Prax (W)111111Technical specifications-3700Power Prax (W)101001500Power Prax (W)111111Technical specifications-3700Power Prax (W)595959El cable (m).37003700Vacuum (Inbark/Pa).37003700Vacuum (Inbark/Pa)3700Vacuum (Inbark/Pa)Power Prax (W)Power Prax (W)Power Prax (W)Power Prax (W). <td< th=""><th>Model</th><th></th><th></th><th>ATTIX 50 AS/E HEPA</th></td<>	Model			ATTIX 50 AS/E HEPA
Storage of accessories•HEPA (H14) upstream filtration•Extra sockat for tool•Disposal bag 1 pcs•Fleece filter bag 1 pcs.•Technical specificationsATTIX 50 HEPAATTIX 50 ASXEPower Pinax (W)150015001500Power Pinax (W)120012001200Mains connection (Vi~/Hz/A)230/150-60/16230/150-60/16Airtiow rate (Imin.)370037003700Vacuum (IndarAPa)250/25250/25250/25Vorking sound level (dB(A))595959El cable (m)7.57.57.5Container volume (I-max)474747Filter cleaning systemPush&CleanPush&CleanMain filter typePETPETLength x width x height (mn)100100Vacuum (mbar/R-a)1111Technical specifications100100Power Piec (W)100100Mains connection (Vi~/Hz/A)230/150-80/16Airtino rate (I/min.)100100Power Piec (W)100100Mains connection (Vi~/Hz/A)230/150-80/16Airtino rate (I/min.)100100Vacuum (mbar/R-a)5959Container volume (I-max)59El cable (m)7.5Yacuum (mbar/R-a)59Vacuum (mbar/R-a)59Vacuum (mbar/R-a)59Vacuum (mbar/R-a)7.5Vacuum (mbar/R-a)7.5 <tr< td=""><td>Ref. no.</td><td></td><td></td><td>900151</td></tr<>	Ref. no.			900151
HEPA (H14) upstream filtration•Extra socket for tool•Disposal bag 1 pos•Fleece filter bag 1 pos.•Technical specificationsATTIX 50 HEPAATTIX 50Power Pinax (W)150015001500Power Piec (W)120012001200Mains connection (V/-/HZ/A)230/1/50-60/16230/1/50-60/16230/1/50-60/16Airflow rate (Imin.)370037003700Vacuum (mbark/Pa)250/25250/25250/25Vorking sound level (dB(A))595959El cable (m)7.57.57.5Container volume (I-max)474747Filter cleaning systemPDETPETPETVaglum (Iminy)4503307/504503308/7504503308/750Veight (ig)11111Technical specifications150015001500Power Piec (W)11111Pethical specifications150015001500Power Piec (W)11111Power Piec (W)11111Airtiow rate (Imin.)370037003700Vacuum (mbark/Pa)11111Power Piec (W)11111Power Piec (W)11111Power Piec (W)11111Airtiow rate (Imin.)137003700Vacuum (mbark/Pa)111111Vacuum (mbark/Pa)11	PRODUCT FEATURES			
Extra sockel for tool•Disposal bag 1 pos•Fleece filter bag 1 pos.ATTIX 50 HEPAATTIX 50 MEPATechnical specificationsATTIX 50 HEPAATTIX 50 MEPAPower Prax (W)150015001500Power Plec (W)120012001200Mains connection (V/-/HZ/A)2301/150-60/162301/150-60/162301/150-60/16Airthow rate (Irini.)370037003700Vacum (mbar/RPa)250/25250/25250/25Working sound level (dBA))595969El cable (m)7.57.57.5Container volume (Irmax)4474747Filter cleaning systemPush & CleanPush & CleanMain filter typePETPETPETLength x width x height (mm)450x380x750450x380x750Vower Prax (W)111111Power Prax (W)12001200Power Prax (W) </td <td>Storage of accessories</td> <td></td> <td></td> <td>•</td>	Storage of accessories			•
Disposal bag 1 pos.Fleece filter bag 1 pos.ATTIX 50 HEPAATTIX 50 MEPATechnical specificationsATTIX 50 HEPAATTIX 50 MEPAPower Piax (W)15001500Power Piex (W)12001200Power Piex (W)2301/50-60/16230/1/50-60/16Airflow rate (Irmin.)37003700Vacuum (mbar/kPa)2502525025Vorking sound level (dB(A))5959El cable (m)7.57.5Container volume (Irmax)4747Filter cleaning systemPush&CleanPush&CleanMain filter typePETPETLength x width x height (mm)450x380x750450x380x750Power Piex (W)1111Technical specifications230/1/50-60/16Power Piex (W)120120Namins connection (V/~Hz/A)2502525025Power Piex (W)1111Technical specifications230/1/50-60/16Piex Piez (M)120120Namins connection (V/~Hz/A)25025Vorking sound level (dB(A))5959El cable (min.)1525025Vorking sound level (dB(A))5959El cable (min.)5959El cable (min.)5959Container volume (Irmax)7575Filter cleaning system7550Filter cleaning system5959El cable (min.)7575Container volume (Irmax)7575 <t< td=""><td>HEPA (H14) upstream filtration</td><td></td><td></td><td>•</td></t<>	HEPA (H14) upstream filtration			•
Fleece filter bag 1 pcs.ATTIX 50 HEPAATTIX 50Power Pmax (W)150015001500Power Piec (W)12001200200Mains connection (V/-/Hz/A)2301/50-601/62301/50-601/62301/50-601/6Airflow rate (Irnin.)3700370037003700Vacuur (mbar/kPa)250/25250/25250/25Vorking sound level (dB(A))595959El cable (m)7.57.57.5Container volume (-max)474747Filter cleaning systemPush&CleanPush&CleanMain filter typePETPETPETLength x width x height (mm)450x380x750450x380x750450x380x750Power Pinax (W)111111Technical specifications15001200Power Pinax (W)150012001200Power Pinax (W)11111Technical specifications15001200Power Pinax (W)1101200Power Pinax (W)1101200Power Pinax (W)1101200Power Pinax (W)11001200Power Pinax (W)1110Power Pinax (W)11500Power Pinax (W)1110Power Pinax (W)1110Power Pinax (W)111Power Pinax (W)111Power Pinax (W)111Power Pin	Extra socket for tool			•
Technical specifications ATTIX 50 HEPA ATTIX 50 ATTIX 50 ASE Power Pmax (W) 1500 1500 1500 Power Piec (W) 1200 1200 1200 Mains connection (V/-/Hz/A) 230/1/50-60/16 230/1/50-60/16 230/1/50-60/16 Airflow rate (Irinin.) 3700 3700 3700 3700 Vacuum (mbar/kPa) 250/25 250/25 250/25 250/25 Vorking sound level (dB(A)) 59 59 59 El cable (m) 7.5 7.5 7.5 Container volume (-max) 47 47 47 Filter cleaning system Push&Clean Push&Clean Push&Clean Main filter type PET PET PET Length x width x height (mm) 450x380x750 450x380x750 450x380x750 Power Pmax (W) 11 11 11 1200 Power Pmax (W) 120 1200 1200 Power Pmax (W) 1200 1200 1200 Nains connection (V/-Hz/A) 3700 <td>Disposal bag 1 pcs</td> <td></td> <td></td> <td>•</td>	Disposal bag 1 pcs			•
Power Pmax (W) 1500 1500 1500 Power Piec (W) 1200 1200 1200 Mains connection (V/-/Hz/A) 230/1/50-60/16 230/1/50-60/16 230/1/50-60/16 Airlow rate (Imin.) 3700 3700 3700 Vacuum (mbar/kPa) 250/25 250/25 250/25 Vorking sound level (dB(A)) 59 59 59 El cable (m) 7.5 7.5 7.5 Container volume (I-max) 47 47 47 Filter cleaning system Push&Clean Push&Clean Push&Clean Main filter type PET PET PET Length x width x height (mm) 450x380x750 450x380x750 450x380x750 Weight (kg) 11 11 11 11 Technical specifications 1200 1200 1200 Mains connection (V/-/Hz/A) 230/1/50.60/16 230/1/50.60/16 250/25 Vorking sound level (dB(A)) 250/25 250/25 250/25 Vorking sound level (dB(A)) 59 59 <td>Fleece filter bag 1 pcs.</td> <td></td> <td></td> <td>•</td>	Fleece filter bag 1 pcs.			•
Power Piec (W)120012001200Mains connection (V/-/Hz/A)230/1/50-60/16230/1/50-60/16230/1/50-60/16Airflow rate (I/min,)370037003700Vacuum (mbar/kPa)250/25250/25250/25Working sound level (dB(A))595959El cable (m)7.57.57.5Container volume (I-max)474747Filter cleaning systemPush&CleanPush&CleanPush&CleanMain filter typePETPETPETLength x width x height (mm)450x380x750450x380x750450x380x750Power Pmax (W)111111Technical specifications	Technical specifications	ATTIX 50 HEPA	ATTIX 50	ATTIX 50 AS/E
Mains connection (V/-Hz/A)2301/150-60/162301/150-60/16Airflow rate (I/min,)37003700Vacuum (mbar/kPa)250/25250/25Working sound level (dB(A))5959El cable (m)7.57.5Container volume (I-max)4747Filter cleaning systemPush & CleanPush & CleanMain filter typePETPETLength x width x height (mm)450x380x750450x380x750Power Pmax (W)1111Power Price (W)111100Airrikov rate (I/min,)2301/150-60/16Vacuum (mbar/kPa)5959E cable (m)5959Filter cleaning system1500Power Piec (W)1200Airrikov rate (I/min,)59E cable (m)59Filter cleaning system59Filter cleaning system47Filter cleaning system47Filter cleaning system59Filter cleaning system59Filter cleaning system59Filter cleaning system59Filter cleaning system59Hain filter type59Filter cleaning system59Hain filter type59Filter cleaning system59Hain filter type59Filter cleaning system50Length x width x height (mm)50Filter cleaning system50Filter cleaning system50Filter cleaning system50Filter cleaning system	Power Pmax (W)	1500	1500	1500
Arritow rate (l/min,) 3700 3700 3700 Vacuum (mbar/kPa) 250/25 250/25 250/25 Working sound level (dB(A)) 59 59 59 El cable (m) 7.5 7.5 7.5 Container volume (l-max) 47 47 47 Filter cleaning system Push&Clean Push&Clean Push&Clean Main filter type PET PET PET Length x width x height (mm) 450x380x750 450x380x750 450x380x750 Veight (kg) 11 11 11 11 Technical specifications	Power Piec (W)	1200	1200	1200
Vacuum (mbar/kPa) 250/25 250/25 Working sound level (dB(A)) 59 59 59 El cable (m) 7.5 7.5 7.5 Container volume (I-max) 47 47 47 Filter cleaning system Push&Clean Push&Clean Push&Clean Main filter type PET PET PET Length x width x height (mm) 450x380x750 450x380x750 450x380x750 Weight (kg) 11 11 11 11 Technical specifications XITIX 50 AS/E FHEPS/KE Power Pmax (W) 1 11 1200 Power Priec (W) 1500 1500 1500 Vacuum (mbar/kPa) 3700 250/25 Vacuum (mbar/kPa) 59 59 59 El cable (m) 7.5 7.5 7.5 Container volume (I-max) 47 47 59 El cable (m) 59 59 59 El cable (m) 7.5 7.5 7.5	Mains connection (V/~/Hz/A)	230/1/50-60/16	230/1/50-60/16	230/1/50-60/16
Working sound level (dB(A)) 59 59 El cable (m) 7.5 7.5 Container volume (I-max) 47 47 Filter cleaning system Push&Clean Push&Clean Main filter type PET PET Length x width x height (mm) 450x380x750 450x380x750 Weight (kg) 11 11 Technical specifications ATTIX 50 AS/E Power Pmax (W) 11 11 Power Piec (W) 1200 1200 Mains connection (V/~/Hz/A) 230/1/50-60/16 230/1/50-60/16 Airflow rate (I/min.) 3700 250/25 Vorking sound level (dB(A)) 59 59 El cable (m) 7.5 7.5 Container volume (I-max) 59 59 El cable (m) 7.5 59 El cable (m) 7.5 7.5 Container volume (I-max) 47 47 Filter cleaning system 47 47 Main filter type Yens PET Length x width x height	Airflow rate (I/min.)	3700	3700	3700
El cable (m) 7.5 7.5 7.5 Container volume (I-max) 47 47 47 Filter cleaning system Push&Clean Push&Clean Push&Clean Main filter type PET PET PET Length x width x height (mm) 450x380x750 450x380x750 450x380x750 Weight (kg) 11 11 11 Technical specifications Image: Steps (Steps (Step (St	Vacuum (mbar/kPa)	250/25	250/25	250/25
Container volume (I-max)474747Filter cleaning systemPush&CleanPush&CleanPush&CleanMain filter typePETPETPETLength x width x height (mm)450x380x750450x380x750450x380x750Weight (kg)111111Technical specificationsI1111Power Pmax (W)I1110Power Piec (W)I2001100Mains connection (V/-/Hz/A)I3700Adriflow rate (I/min.)I3700Vacuum (mbar/kPa)I59El cable (m)7.5Container volume (I-max)47Filter cleaning system47Min filter typeIPETLength x width x height (mm)PET	Working sound level (dB(A))	59	59	59
Filter cleaning systemPush&CleanPush&CleanPush&CleanMain filter typePETPETPETLength x width x height (mm)450x380x750450x380x750450x380x750Weight (kg)11111111Technical specifications	El cable (m)	7.5	7.5	7.5
Main filter typePETPETPETLength x width x height (mm)450x380x750450x380x750Weight (kg)111111Technical specifications1111Power Pmax (W)11110Power Piec (W)12001200Mains connection (V/~/Hz/A)230/150-60/163700Airflow rate (I/min.)37003700Vacuum (mbar/kPa)5959El cable (m)7.559Filter cleaning system47Main filter type92 Math450Main filter typePET450x380x750Length x width x height (mm)450x380x750450x380x750	Container volume (I-max)	47	47	47
Length x width x height (mm)450x380x750450x380x750Weight (kg)111111Technical specificationsATTIX 50 AS/E HEPAPower Pmax (W)11500Power Piec (W)1200Mains connection (V/~/Hz/A)230/1/50-60/16Airflow rate (I/min.)3700Vacuum (mbar/kPa)59El cable (m)7.5Container volume (I-max)47Filter cleaning systemPush&Cleani PETMain filter type9ETLength x width x height (mm)450x380x750	Filter cleaning system	Push&Clean	Push&Clean	Push&Clean
Weight (kg)111111Technical specificationsATTIX 50 AS/E HEPAPower Pmax (W)1500Power Piec (W)1200Mains connection (V/~/Hz/A)230/1/50-60/16Airflow rate (I/min.)3700Vacuum (mbar/kPa)250/25Working sound level (dB(A))59El cable (m)7.5Container volume (I-max)47Filter cleaning systemPush&CleanMain filter typePETLength x width x height (mm)45080x750	Main filter type	PET	PET	PET
Technical specificationsATTK 50 AS/E HEPAPower Pinax (W)1500Power Piec (W)1200Mains connection (V/~/Hz/A)230/1/50-60/16Airflow rate (I/min.)3700Vacuum (mbar/kPa)250/25Working sound level (dB(A))59El cable (m)7.5Container volume (I-max)47Filter cleaning systemPush&CleanMain filter typePETLength x width x height (mm)450x380x750	Length x width x height (mm)	450x380x750	450x380x750	450x380x750
HEPAPower Pmax (W)1500Power Piec (W)1200Mains connection (V/~/Hz/A)230/1/50-60/16Airflow rate (I/min.)3700Vacuum (mbar/kPa)250/25Working sound level (dB(A))59El cable (m)7.5Container volume (I-max)47Filter cleaning systemPush&CleanMain filter typePETLength x width x height (mm)450x380x750	Weight (kg)	11	11	11
Power Piec (W)1200Mains connection (V/~/Hz/A)230/1/50-60/16Airflow rate (I/min.)3700Vacuum (mbar/kPa)250/25Working sound level (dB(A))59El cable (m)7.5Container volume (I-max)47Filter cleaning systemPush&CleanMain filter typePETLength x width x height (mm)450x380x750	Technical specifications			
Mains connection (V/~/Hz/A)230/1/50-60/16Airflow rate (I/min.)3700Vacuum (mbar/kPa)250/25Working sound level (dB(A))59El cable (m)7.5Container volume (I-max)47Filter cleaning systemPush&CleanMain filter typePETLength x width x height (mm)450x380x750	Power Pmax (W)			1500
Airflow rate (l/min.)3700Vacuum (mbar/kPa)250/25Working sound level (dB(A))59El cable (m)7.5Container volume (l-max)47Filter cleaning systemPush&CleanMain filter typePETLength x width x height (mm)450x380x750	Power Piec (W)			1200
Vacuum (mbar/kPa)250/25Working sound level (dB(A))59El cable (m)7.5Container volume (I-max)47Filter cleaning systemPush&CleanMain filter typePETLength x width x height (mm)450x380x750	Mains connection (V/~/Hz/A)			230/1/50-60/16
Working sound level (dB(A))59El cable (m)7.5Container volume (I-max)47Filter cleaning systemPush&CleanMain filter typePETLength x width x height (mm)450x380x750	Airflow rate (I/min.)			3700
El cable (m)7.5Container volume (I-max)47Filter cleaning systemPush&CleanMain filter typePETLength x width x height (mm)450x380x750	Vacuum (mbar/kPa)			250/25
Container volume (I-max)47Filter cleaning systemPush&CleanMain filter typePETLength x width x height (mm)450x380x750	Working sound level (dB(A))			59
Filter cleaning systemPush&CleanMain filter typePETLength x width x height (mm)450x380x750	El cable (m)			7.5
Main filter typePETLength x width x height (mm)450x380x750	Container volume (I-max)			47
Length x width x height (mm) 450x380x750	Filter cleaning system			Push&Clean
	Main filter type			PET
Weight (kg) 11	Length x width x height (mm)			450x380x750
	Weight (kg)			11



 \bullet Standard equipment, $^{\bigcirc}$ Supplementary accessories, $^{\square}$ Mountable equipment

	Accessories	Ref. no.	Min. required	ATTIX 50 HEPA	ATTIX 50	ATTIX 50 AS/ E
System 36 C	revice/Cone Nozzle					
	CREVICE NOZZLE 36 X 920	17836	1			
	CREVICE NOZZLE D36 AERO 21-01	29541	1			
	CREVICE TOOL 12 LONG	6084	1	0	0	0
1	RUBBER NOZZLE	5067	1			
	RUBBER NOZZLE	40456	1			
System 50 Tu	ube					
	ADAPTER 50-36MM X125	40452	1			
	ANGULAR CONNECTION	5089	1			
	CURVED EXTEN.TUBE COMPLETE	15335	1	0	0	0
	EXTENSION TUBES	5152	1			
System 36 B	rush/Universal Nozzle					
L	ALUMINIUM UNIVERSAL NOZZ.	5145	1			
-	BRUSH NOZZLE PVC 36MM	6086	1	0	0	0
	BRUSH SUCTION BLACK D36	302002509	1	0	0	0



	Accessories	Ref. no.	Min. required	ATTIX 50 HEPA	ATTIX 50	ATTIX 50 AS/ E
_	RADIATOR BRUSH NOZZLE	5144	1			
	SUCTION BRUSH	5146	1	0	0	0
	SUCTION BRUSH	40455	1			
\checkmark	UNIVERSAL NOZZLE	14295	1	0	0	0
System 36 Va	ac Floor Nozzle		1			
A.	ALUM. FLOOR NOZZLE	5147	1	0	0	0
2	COMBI NOZZLE D36X260MM	302002365	1	0	0	0
\checkmark	FLOOR NOZZLE-SQUEEGEE 14	5149	1	0	0	0
	FLOOR TOOL	8046	1	0	0	0
4	FLOOR TOOL wood floor nozzle	64195	1	0	0	0
	GROUND NOZZLE 18-DRY	15348	1	0	0	0
	INDUSTRIAL SQUEEGEE 18IN	15349	1	0	0	0
	NOZZLE 300XDIA36MM	7270	1	0	0	0
	NOZZLE COMBINATION D36X270MM	107417892	0	0	0	0
~	NOZZLE FLOOR 36X400MM W/BRUSH	302003666	1	0	0	0



	Accessories	Ref. no.	Min. required	ATTIX 50 HEPA	ATTIX 50	ATTIX 50 AS/ E
1	NOZZLE FLOOR D36 12IN	302002331	1			
1	NOZZLE FLOOR W/D KIT D36	107402706	1	0	o	0
	PROFESSIONAL FLOOR NOZZLE	60356	1	0	0	0
System 50 Br	rush/Universal Nozzle					
	COARSE DIRT SUCTION NOZZLE	41100	1	0	0	0
4	NOZZLE TRIANGULAR	5153	1			
	SUCTION BRUSH 50MM	40458	1			
System 38 He	ose Vacuum Cleaner	1				
Ø	HOSE 13 FT X 36MM COMP W/CUFFS	15365	1	0	0	0
	HOSE HEAT RESISTANT	6070	1			
System 50 Va	ac Floor Nozzle					
4	GROUND NOZZLE 50MM	6077	1			
	INDUSTRIAL ROLLER NOZZLE	15343	1	0	0	0
Vacuum Acce	Vacuum Accessory Set					
101	50MM VEHICLE CLEANING SET	6085	1			



	Accessories	Ref. no.	Min. required	ATTIX 50 HEPA	ATTIX 50	ATTIX 50 AS/ E
þ,	CHIP VAC SET	61681	1			
	INDUSTRIAL ACCESSORY SET	302002881	1			
, Alexandre	INDUSTRIAL KIT EXTRA	63214	1	0	0	0
<u></u>	INDUSTRIAL TOOL SET F. ATTIX	63216	1	0	0	0
1	PIPE VAC KIT	63215	1			
	WORKSHOP ACCESSORY KIT	302000927	1			
System 27 Br	ush/Universal Nozzle					
0	BRUSH CURRY-COMB	6093	1			
-0	CURRY-COMB	6092	1			
System 50 Cr	evice/Cone Nozzle	1				
	CREVICE TOOL 50MM	7102	1	0	0	0
	RUBBER NOZZLE	7868	1			
System 38 Cr	evice/Cone Nozzle					
	PIPE CLEANING NOZZLE	8054	1			
Special Filter						



	Accessories	Ref. no.	Min. required	ATTIX 50 HEPA	ATTIX 50	ATTIX 50 AS/ E
IIIIIIII	FILTER COOLING ATTIX 30/5	302003721	1			
Ø	FILTER COVER SHORT	11801	1	0	0	0
	FILTER FOR MOTOR COOLING 30/40	107400453	1			
HERE	WET FILTER STRAINER	15475	1	0	0	0
System 27 Ho	ose Vacuum Cleaner				1	
	ADAPTER TOOL AS D27/36-24	107404520	1			
	HOSE AS W/TOOL ADAPT D27X3500	107406091	1	0	0	0
Mo-	SUCTION HOSE 1 X 11.5FT	14289	1			
System 50 Ho	ose Vacuum Cleaner	1				
þ	SUCTION HOSE 2 X 13 CHIPS	15182	1			
10	SUCTION HOSE 2 X 13FT	15358	1	0	0	0
System 38 Tu	be					
	EXTENSION PIPE	15340	1			
	KIT TUBES EXT ALUMINUM D38	107402474	1			
	TUBE HAND CURVED D38 SS	302002889	1			
System 36 Ho	ose Vacuum Cleaner					
	HOSE 1.5 X 10 COMP W/C	15805	1	0	0	0



	Accessories	Ref. no.	Min. required	ATTIX 50 HEPA	ATTIX 50	ATTIX 50 AS/ E
Ş	HOSE A/S RED D36X13FT BTL	107413544	0			
Q	HOSE W/HAND TUBE 32MMX11FT	107409976	1	0	0	0
\bigcirc	UNI HOSE 36X3000MM W COUPLING	46948	1	0	0	0
System 36 Tu	ube					
	CUFF POWER TOOL AERO 800 A	60916	1	O	0	0
	CURVED HAND TUBE DN 36	302000528	1	0	0	0
	CURVED WAND SQ STYLE	46691	1	0	0	0
	EXT STRAIGHT SS 3X14IN D36	107416995	0			
	STRAIGHT TURNING CONNECTION DI	29457	1			
	STRAIGHT WAND EXT SS (2PCS)	107408074	1	0	0	0
	STRAIGHT WAND EXTENSION (2PCS)	40696	1	0	0	0
	SUCTION PIPE 36 2X505MM	302000529	1	0	0	0
-	TELESCOPIC VACUUM WAND	47109	1			



	Accessories	Ref. no.	Min. required	ATTIX 50 HEPA	ATTIX 50	ATTIX 50 AS/ E
a par	TOOL ADAPTOR W/REGULATOR 32MM	107409977	1			
	TOOL SOCKET	302000535	1	0	0	0
	TUBE EXTENSION ALUM D36 (2PCS)	107400032	1	0	o	o
System 32 Ho	ose Vacuum Cleaner					
	ANTI-STATIC HOSE 16	30657	1			
	COAXIAL SUCTION HOSE	107400841	1			
Q	HOSE A/S RED D32X13FT BTL	107413543	0			
Other			11			
	SPARK SUPPRESOR	34591	1			
Filter						
	FILTER CARTRIDGE 211X140	302000658	1	0	o	o
	FILTER HEPA FOR ATTIX NON-XC	302001095	1	0	0	0
	FILTER HEPA XC ATTIX 30/50	107400449	1	O	o	o
O	FILTER STD FOR ATTIX NON-XC	302000490	1	O	o	0
4	FILTER XC ATTIX 30/50 (2 PCS)	302002842	1	0	0	0
Sack Filter						
	CLOTH FILTER ATTIX 8 SET	302000606	1	O	0	0



	Accessories	Ref. no.	Min. required	ATTIX 50 HEPA	ATTIX 50	ATTIX 50 AS/ E
Disposal Bag						
9	PLASTIC BAG ATTIX 12 5PK	302000728	1	0	0	0
Exhaust Air C	collector					
Q	EXHAUST AIR COLLECTOR	302003717	1			
Filter Bag						
° °	BAG FLEECE 5PK ATTIX 50	107419592	0			

ullet Standard equipment, $^{\bigcirc}$ Supplementary accessories, $^{\square}$ Mountable equipment

	Accessories	Ref. no.	Min. required	ATTIX 50 AS/ E HEPA
System 36 Cr	revice/Cone Nozzle			
	CREVICE NOZZLE 36 X 920	17836	1	
	CREVICE NOZZLE D36 AERO 21-01	29541	1	
	CREVICE TOOL 12 LONG	6084	1	0
	RUBBER NOZZLE	5067	1	
	RUBBER NOZZLE	40456	1	
System 50 Tu	lbe		1	
	ADAPTER 50-36MM X125	40452	1	
	ANGULAR CONNECTION	5089	1	
	CURVED EXTEN.TUBE COMPLETE	15335	1	0



	Accessories	Ref. no.	Min. required	ATTIX 50 AS/ E HEPA
	EXTENSION TUBES	5152	1	
System 36 Br	ush/Universal Nozzle	1		
\checkmark	ALUMINIUM UNIVERSAL NOZZ.	5145	1	
	BRUSH NOZZLE PVC 36MM	6086	1	0
	BRUSH SUCTION BLACK D36	302002509	1	0
_	RADIATOR BRUSH NOZZLE	5144	1	
	SUCTION BRUSH	5146	1	0
	SUCTION BRUSH	40455	1	
\checkmark	UNIVERSAL NOZZLE	14295	1	0
System 36 Va	ac Floor Nozzle			
A.	ALUM. FLOOR NOZZLE	5147	1	0
	COMBI NOZZLE D36X260MM	302002365	1	0
~	FLOOR NOZZLE-SQUEEGEE 14	5149	1	O
	FLOOR TOOL	8046	1	0
4	FLOOR TOOL wood floor nozzle	64195	1	0



	Accessories	Ref. no.	Min. required	ATTIX 50 AS/ E HEPA
	GROUND NOZZLE 18-DRY	15348	1	0
	INDUSTRIAL SQUEEGEE 18IN	15349	1	0
	NOZZLE 300XDIA36MM	7270	1	0
	NOZZLE COMBINATION D36X270MM	107417892	0	0
4	NOZZLE FLOOR 36X400MM W/BRUSH	302003666	1	0
1	NOZZLE FLOOR D36 12IN	302002331	1	
1	NOZZLE FLOOR W/D KIT D36	107402706	1	0
	PROFESSIONAL FLOOR NOZZLE	60356	1	0
System 50 Br	ush/Universal Nozzle	1	1	
	COARSE DIRT SUCTION NOZZLE	41100	1	0
4	NOZZLE TRIANGULAR	5153	1	
	SUCTION BRUSH 50MM	40458	1	
System 38 Ho	ose Vacuum Cleaner			
Ø	HOSE 13 FT X 36MM COMP W/CUFFS	15365	1	0
	HOSE HEAT RESISTANT	6070	1	
System 50 Vac Floor Nozzle				



	Accessories	Ref. no.	Min. required	ATTIX 50 AS/ E HEPA	
4	GROUND NOZZLE 50MM	6077	1		
	INDUSTRIAL ROLLER NOZZLE	15343	1	0	
Vacuum Acce	essory Set	1	1		
101	50MM VEHICLE CLEANING SET	6085	1		
þ,	CHIP VAC SET	61681	1		
	INDUSTRIAL ACCESSORY SET	302002881	1		
<i>.</i>	INDUSTRIAL KIT EXTRA	63214	1	0	
<u></u>	INDUSTRIAL TOOL SET F. ATTIX	63216	1	0	
1	PIPE VAC KIT	63215	1		
	WORKSHOP ACCESSORY KIT	302000927	1		
System 27 Bi	System 27 Brush/Universal Nozzle				
	BRUSH CURRY-COMB	6093	1		
-0	CURRY-COMB	6092	1		
System 50 Crevice/Cone Nozzle					



	Accessories	Ref. no.	Min. required	ATTIX 50 AS/ E HEPA	
	CREVICE TOOL 50MM	7102	1	O	
	RUBBER NOZZLE	7868	1		
System 38 Cr	evice/Cone Nozzle				
	PIPE CLEANING NOZZLE	8054	1		
Special Filter					
IIIIIIIII	FILTER COOLING ATTIX 30/5	302003721	1		
R	FILTER COVER SHORT	11801	1	0	
	FILTER FOR MOTOR COOLING 30/40	107400453	1		
Beech	WET FILTER STRAINER	15475	1	0	
System 27 Ho	se Vacuum Cleaner				
	ADAPTER TOOL AS D27/36-24	107404520	1		
	HOSE AS W/TOOL ADAPT D27X3500	107406091	1	0	
<i>M</i>	SUCTION HOSE 1 X 11.5FT	14289	1		
System 50 Ho	System 50 Hose Vacuum Cleaner				
þ	SUCTION HOSE 2 X 13 CHIPS	15182	1		
10	SUCTION HOSE 2 X 13FT	15358	1	0	
System 38 Tu	System 38 Tube				



	Accessories	Ref. no.	Min. required	ATTIX 50 AS/ E HEPA
	EXTENSION PIPE	15340	1	
	KIT TUBES EXT ALUMINUM D38	107402474	1	
	TUBE HAND CURVED D38 SS	302002889	1	
System 36 Ho	ose Vacuum Cleaner	1		
	HOSE 1.5 X 10 COMP W/C	15805	1	0
Ş	HOSE A/S RED D36X13FT BTL	107413544	0	
P	HOSE W/HAND TUBE 32MMX11FT	107409976	1	0
\bigcirc	UNI HOSE 36X3000MM W COUPLING	46948	1	0
System 36 Tu	be			
	CUFF POWER TOOL AERO 800 A	60916	1	0
	CURVED HAND TUBE DN 36	302000528	1	0
	CURVED WAND SQ STYLE	46691	1	0
	EXT STRAIGHT SS 3X14IN D36	107416995	0	
	STRAIGHT TURNING CONNECTION DI	29457	1	
	STRAIGHT WAND EXT SS (2PCS)	107408074	1	0



	Accessories	Ref. no.	Min. required	ATTIX 50 AS/ E HEPA
	STRAIGHT WAND EXTENSION (2PCS)	40696	1	0
	SUCTION PIPE 36 2X505MM	302000529	1	0
	TELESCOPIC VACUUM WAND	47109	1	
a dat	TOOL ADAPTOR W/REGULATOR 32MM	107409977	1	
	TOOL SOCKET	302000535	1	0
	TUBE EXTENSION ALUM D36 (2PCS)	107400032	1	o
System 32 Ho	ose Vacuum Cleaner			
	ANTI-STATIC HOSE 16	30657	1	
	COAXIAL SUCTION HOSE	107400841	1	
Q	HOSE A/S RED D32X13FT BTL	107413543	0	
Other		1	1	
	SPARK SUPPRESOR	34591	1	
Filter				
	FILTER CARTRIDGE 211X140	302000658	1	0
	FILTER HEPA FOR ATTIX NON-XC	302001095	1	0
	FILTER HEPA XC ATTIX 30/50	107400449	1	0



	Accessories	Ref. no.	Min. required	ATTIX 50 AS/ E HEPA
	FILTER STD FOR ATTIX NON-XC	302000490	1	0
4	FILTER XC ATTIX 30/50 (2 PCS)	302002842	1	0
Sack Filter				
	CLOTH FILTER ATTIX 8 SET	302000606	1	o
Disposal Bag		1	1	
9	PLASTIC BAG ATTIX 12 5PK	302000728	1	0
Exhaust Air C	Exhaust Air Collector			
	EXHAUST AIR COLLECTOR	302003717	1	
Filter Bag				
F * *	BAG FLEECE 5PK ATTIX 50	107419592	0	

