

Product Family

Uvex Ultra-spec 1000

Wrap-around unilens design with solid sideshields. Ideal safety eyewear for visitors.

Learn more about all of our Uvex plano products at uvex.us >
Learn more about our Uvex Rx safety frames at uvexrx.com >



Product Numbers & Ordering Information

	Product Numbers	Details
	S300CS	Clear Frame Clear Lens, Uncoated
	S301CS	Clear Frame Clear Lens, Uncoated
テモ品の サミ性()	S302SS	Black Temples Clear Lens, Uncoated
# C # D	S305CS	Clear Frame Gray Lens, Uncoated

Packaging Information

Packaging Bulk, 200 case

Overview

Key Features

- · Ideal safety eyewear for visitors
- Uncoated 100% polycarbonate wrap-around unilens design with solid sideshields
- Made in USA

Hazards

- Abrasion Airborne Particulates
- Biohazard
- Impact

Regulations

- ANSI Z87+ Meets ANSI Z87+ (High Impact) standard
- CSA Z94.3 Tested by Honeywell to meet the requirements of the CSA Z94.3 standard

Historical Brand

Uvex

Warranty Information

Limited warranty

Specifications

Lens overall width

• 158 mm (6.2) nominal "

Lens material

Polycarbonate

Lens coating

Uncoated

Lens thickness

• 2 mm (.079) minimum "

Available lens tints

· Clear, Gray

Replacement lenses available (yes/no)

No

Rx capable

No

Temple material

Polycarbonate

Temple length

• 140 mm (5.5) nominal "

Temple set-back

• 100 mm (4) nominal "

Temple style

• Spatula

Spectacle weight

• 44 grams (1.5 oz.) approx.

Frame material

Not applicable

Available frame colors

Clear

Dielectric frame (yes/no)

Yes

Country of origin

Made in U.S.A.

Certifications

ANSI Certificate of Compliance_Eng

http://www.honeywellsafety.com/Supplementary/Documents_and_Downloads/Eye_and_Face_Protection/Laser_Filters___Eyewear/19294/1033.aspx

Uvex Ultra-spec 1000

ANSI Certificate of Compliance_Eng

ANSI Certificate of Compliance_Spanish http://www.honeywellsafety.com/Supplementary/Documents_and_Downloads/Eye_and_Face_Protection /Laser_Filters___Eyewear/19295/1033.aspx

ANSI Certificate of Compliance_Spanish

Training & Proper Use

All products come packaged with instructions and warnings for proper use.

Technical Support

(800) 682-0839, Sperian Protection Americas, Customer Care

© Honeywell International Inc.